Manufacturers, Importers & Exporters of
Electrosurgical Instruments



ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

# ABOUT US:

Acme people are driven by heart felt interest in healthcare, wherever their locations, what ever their positions and responsibilities, all share a genuine desire to understand and help the hospital and medical communities they serve. Acme commercial ways is one of the premier manufacturers of Surgical Instruments worldwide. Originally formed with the goal of producing Surgical Instruments for Surgery and specialty needs with exceptional design, engineering, high value and pleasing aesthetics, the company moved forward rapidly from the very first instrument manufactured, Acme set new bench mark for innovation and features new to the industry with in a few short years, the product line grew to broad array.

Today Acme poised for growth in the 21st century. Our aim is to provide high quality and reliable products to the healthcare community.

Acme is a company for people who cares and intend to set the standard of 21st century healthcare. We look forward to providing the medical community with unmatched sales, services and support.

acme
Commercial Ways (Pvt) Ltd.

All our Instruments are hand finished by experienced craftsmen
at our purpose built production facility in Sialkot Pakistan.
We offer all our customers a comprehensive site tour to experience
the Acme Commercial Ways brand for themselves.

# ELECTROSURGERY FORCEPS

## EUROPEAN BIPOLAR FORCEPS

ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd.

# Ophthalmic Bipolar Forceps – European

## ENT Special Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0701**
1.50mm
Size: 12.10cm

**ANE: 0701-1**
1.00mm
Size: 12.10cm

**ANE: 0701-2**
0.70mm
Size: 12.10cm

**ANE: 0701-3**
0.50mm
Size: 12.10cm

**Adson Bipolar Forceps**



**ANE: 0702**
1.50mm
Size: 10.80cm

**ANE: 0702-1**
1.00mm
Size: 10.80cm

**ANE: 0702-2**
0.70mm
Size: 10.80cm

**ANE: 0702-3**
0.50mm
Size: 10.80cm

**Jewler # 5**
**Bipolar Forceps Ang Tip**



**ANE: 0703**
1.50mm
Size: 11.50cm

**ANE:0703-1**
1.00mm
Size:11.50cm

**ANE:0703-2**
0.70mm
Size:11.50cm

**ANE:0703-3**
0.50mm
Size:11.50cm

**Jewler # 7**
**Bipolar Forceps**



**McPherson Bipolar Forceps**

**ANE: 0704**
0.70mm
Size:10.20cm

**ANE: 0704-1**
0.50mm
Size: 10.20cm

**ANE: 0704-2**
1.50mm
Size: 11.50cm

**ANE: 0704-3**
1.00mm
Size: 11.50cm

**ANE: 0704-4**
0.70mm
Size: 11.50cm

**ANE: 0704-5**
0.50mm
Size:11.50cm

**Jewler # 5**
**Bipolar Forceps Str.**

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Bipolar Forceps Straight - European

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.



**ANE: 0705**
1.50mm
Size: 15.50cm

**ANE: 0705-1**
1.00mm
Size: 15.50cm

**ANE: 0705-2**
0.70mm
Size: 15.50cm

**ANE: 0705-3**
0.50mm
Size: 15.50cm

**ANE: 0706**
1.50mm
Size: 18.00cm

**ANE: 0706-1**
1.00mm
Size: 18.00cm

**ANE: 0706-2**
0.70mm
Size: 18.00cm

**ANE: 0706-3**
0.50mm
Size: 18.00cm

**ANE: 0707**
2.50mm
Size: 20.00cm

**ANE: 0707-1**
1.50mm
Size: 20.00cm

**ANE: 0707-2**
1.00mm
Size: 20.00cm

**ANE: 0707-3**
0.70mm
Size: 20.00cm

**ANE: 0707-4**
0.50mm
Size: 20.00cm

**ANE: 0708**
2.50mm
Size: 24.00cm

**ANE: 0708-1**
1.00mm
Size: 24.00cm

**ANE: 0708-2**
1.50mm
Size: 22.00cm

**ANE: 0708-3**
1.00mm
Size: 22.00cm

**ANE: 0708-4**
0.70mm
Size: 22.00cm

**ANE: 0708-5**
0.50mm
Size: 22.00cm


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Bipolar Forceps Straight – European Angle Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0709**
1.50mm
Size: 15.50cm

**ANE: 0709-1**
1.00mm
Size: 15.50cm

**ANE: 0709-2**
0.70mm
Size: 15.50cm

**ANE: 0709-3**
0.50mm
Size: 15.50cm

**ANE: 0710**
1.50mm
Size: 18.00cm

**ANE: 0710-1**
1.00mm
Size: 18.00cm

**ANE: 0710-2**
0.70mm
Size: 18.00cm

**ANE: 0710-3**
0.50mm
Size: 18.00cm

**ANE: 0711**
2.50m
Size: 20.00cm

**ANE: 0711-1**
1.50mm
Size: 20.00cm

**ANE: 0711-2**
1.00mm
Size: 20.00cm

**ANE: 0711-3**
0.70mm
Size: 20.00cm

**ANE: 0711-4**
0.50mm
Size:20.00cm

**ANE: 0712**
2.50m
Size: 24.00cm

**ANE: 0712-1**
1.00mm
Size: 24.00cm

**ANE: 0712-2**
1.50mm
Size: 22.00cm

**ANE: 0712-3**
1.00mm
Size: 22.00cm

**ANE: 0712-4**
0.70mm
Size: 22.00cm

**ANE: 0712-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Bayonet Bipolar Forceps - European

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0713**
1.50mm
Size: 15.50cm

**ANE: 0713-1**
1.00mm
Size: 15.50cm

**ANE: 0713-2**
0.70mm
Size: 15.50cm

**ANE: 0713-3**
0.50mm
Size: 15.50cm

**ANE: 0714**
1.50mm
Size: 18.00cm

**ANE: 0714-1**
1.00mm
Size: 18.00cm

**ANE: 0714-2**
0.70mm
Size: 18.00cm

**ANE: 0714-3**
0.50mm
Size:18.00cm

**ANE: 0715**
2.50mm
Size: 20.00cm

**ANE: 0715-1**
1.50mm
Size: 20.00cm

**ANE: 0715-2**
1.00mm
Size: 20.00cm

**ANE: 0715-3**
0.70mm
Size: 20.00cm

**ANE: 0715-4**
0.50mm
Size: 20.00cm

**ANE: 0716**
1.50mm
Size: 24.00cm

**ANE: 0716-1**
1.00mm
Size: 24.00cm

**ANE: 0716-2**
1.50mm
Size: 22.00cm

**ANE: 0716-3**
1.00mm
Size: 22.00cm

**ANE: 0716-4**
0.70mm
Size: 22.00cm

**ANE: 0716-5**
0.50mm
Size: 22.00cm


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Bayonet Bipolar Forceps - European
## Angle UP Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0720**
1.50mm
Size: 24.00cm

**ANE: 0720-1**
1.00mm
Size: 24.00cm

**ANE: 0720-2**
1.50mm
Size: 22.00cm

**ANE: 0720-3**
1.00mm
Size: 22.00cm

**ANE: 0720-4**
0.70mm
Size: 22.00cm

**ANE: 0720-5**
0.50mm
Size: 22.00cm

**ANE: 0719**
2.50m
Size: 20.00cm

**ANE: 0719-1**
1.50mm
Size: 20.00cm

**ANE: 0719-2**
1.00mm
Size: 20.00cm

**ANE: 0719-3**
0.70mm
Size: 20.00cm

**ANE: 0719-4**
0.50mm
Size:20.00cm

**ANE: 0718**
1.50mm
Size: 18.00cm

**ANE: 0718-1**
1.00mm
Size: 18.00cm

**ANE: 0718-2**
0.70mm
Size: 18.00cm

**ANE: 0718-3**
0.50mm
Size: 18.00cm

**ANE: 0717**
1.50mm
Size: 15.50cm

**ANE: 0717-1**
1.00mm
Size: 15.50cm

**ANE: 0717-2**
0.70mm
Size: 15.50cm

**ANE: 0717-3**
0.50mm
Size: 15.50cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Bayonet Bipolar Forceps - European

## Angle Down

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0721**
1.50mm
Size: 15.50cm

**ANE: 0721-1**
1.00mm
Size: 15.50cm

**ANE: 0721-2**
0.70mm
Size: 15.50cm

**ANE: 0721-3**
0.50mm
Size: 15.50cm

**ANE: 0722**
1.50mm
Size: 18.00cm

**ANE: 0722-1**
1.00mm
Size: 18.00cm

**ANE: 0722-2**
0.70mm
Size: 18.00cm

**ANE: 0722-3**
0.50mm
Size: 18.00cm

**ANE: 0723**
2.50mm
Size: 20.00cm

**ANE: 0723-1**
1.50mm
Size: 20.00cm

**ANE: 0723-2**
1.00mm
Size: 20.00cm

**ANE: 0723-3**
0.70mm
Size: 20.00cm

**ANE: 0723-4**
0.50mm
Size: 20.00cm

**ANE: 0724**
1.50mm
Size: 24.00cm

**ANE: 0724-1**
1.00mm
Size: 24.00cm

**ANE: 0724-2**
1.50mm
Size: 22.00cm

**ANE: 0724-3**
1.00mm
Size: 22.00cm

**ANE: 0724-4**
0.70mm
Size: 22.00cm

**ANE: 0724-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Ophthalmic Bipolar Forceps - European Block Connector Fitting

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight









**ANE: 0725**
1.50mm
Size: 10.20cm

**ANE: 0725-1**
1.00mm
Size: 10.20cm

**ANE: 0725-2**
0.70mm
Size: 10.20cm

**ANE: 0725-3**
0.50mm
Size: 10.20cm

**ANE: 07226**
1.50mm
Size: 10.80cm

**ANE: 0726-1**
1.00mm
Size: 10.80cm

**ANE: 0726-2**
0.70mm
Size: 10.80cm

**ANE: 0726-3**
0.50mm
Size: 10.80cm

**ANE: 0727**
1.50mm
Size: 11.50cm

**ANE: 0727-1**
1.00mm
Size: 11.50cm

**ANE: 0727-2**
0.70mm
Size: 11.50cm

**ANE: 0727-3**
0.50mm
Size:11.50cm

**ANE: 0728**
1.50mm
Size: 12.10cm

**ANE: 0728-1**
1.00mm
Size: 12.10cm

**ANE: 0728-2**
0.70mm
Size: 12.10cm

**ANE: 0728-3**
0.50mm
Size: 12.10cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Straight Bipolar Forceps - European
# Block Connector Fitting

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.









**ANE: 0732**
1.50mm
Size: 20.00cm

**ANE: 0732-1**
1.00mm
Size: 20.00cm

**ANE: 0729**
1.50mm
Size: 10.80cm

**ANE: 0729-1**
1.00mm
Size: 10.80cm

**ANE: 0729-2**
0.70mm
Size: 10.80cm

**ANE: 0729-3**
0.50mm
Size: 10.80cm

**ANE: 0730**
1.50mm
Size: 14.00cm

**ANE: 0730-1**
1.00mm
Size: 14.00cm

**ANE: 0730-2**
0.70mm
Size: 14.00cm

**ANE: 0730-3**
0.50mm
Size: 14.00cm

**ANE: 0731**
1.50mm
Size: 16.00cm

**ANE: 0731-1**
1.00mm
Size: 16.00cm

**ANE: 0731-2**
0.70mm
Size: 16.00cm

**ANE: 0731-3**
0.50mm
Size: 16.00cm

**ANE: 0732-2**
1.50mm
Size: 18.00cm

**ANE: 0732-3**
1.00mm
Size: 18.00cm

**ANE: 0732-4**
0.70mm
Size: 18.00cm

**ANE: 0732-5**
0.50mm
Size: 18.00cm


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Cushing Bipolar Forceps - European
# Block Connector Fitting

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0736**
1.50mm
Size: 24.00cm

**ANE: 0736-1**
1.00mm
Size: 24.00cm

**ANE: 0736-2**
1.50mm
Size: 22.00cm

**ANE: 0736-3**
1.00mm
Size: 22.00cm

**ANE: 0736-4**
0.70mm
Size: 22.00cm

**ANE: 0736-5**
0.50mm
Size: 22.00cm

**ANE: 0735**
1.50mm
Size: 20.00cm

**ANE: 0735-1**
1.00mm
Size: 20.00cm

**ANE: 0735-2**
0.70mm
Size: 20.00cm

**ANE: 0735-3**
0.50mm
Size: 20.00cm

**ANE: 0734**
1.50mm
Size: 18.00cm

**ANE: 0734-1**
1.00mm
Size: 18.00cm

**ANE: 0734-2**
0.70mm
Size: 18.00cm

**ANE: 0734-3**
0.50mm
Size: 18.00cm

**ANE: 0733**
1.50mm
Size: 15.50cm

**ANE: 0733-1**
1.00mm
Size: 15.50cm

**ANE: 0733-2**
0.70mm
Size: 15.50cm

**ANE: 0733-3**
0.50mm
Size: 15.50cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Irrigation Bipolar Forceps - European

## Straight Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0737**
1.50mm
Size: 15.50cm

**ANE: 0737-1**
1.00mm
Size: 15.50cm

**ANE: 0737-2**
0.70mm
Size: 15.50cm

**ANE: 0737-3**
0.50mm
Size: 15.50cm

**ANE: 0738**
1.50mm
Size: 18.00cm

**ANE: 0738-1**
1.00mm
Size: 18.00cm

**ANE: 0738-2**
0.70mm
Size: 18.00cm

**ANE: 0738-3**
0.50mm
Size: 18.00cm

**ANE: 0739**
1.50mm
Size: 20.00cm

**ANE: 0739-1**
1.00mm
Size: 20.00cm

**ANE: 0739-2**
0.70mm
Size: 20.00cm

**ANE: 0739-3**
0.50mm
Size: 20.00cm

**ANE: 0740**
1.50mm
Size: 24.00cm

**ANE: 0740-1**
1.00mm
Size: 24.00cm

**ANE: 0740-2**
1.50mm
Size: 22.00cm

**ANE: 0740-3**
1.00mm
Size: 22.00cm

**ANE: 0740-4**
0.70mm
Size: 22.00cm

**ANE: 0740-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



ACME
Commercial Ways (Pvt) Ltd.

# Irrigation Bipolar Forceps - European Bayonet Fitting

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0741**
1.50mm
Size: 15.50cm

**ANE: 0741-1**
1.00mm
Size: 15.50cm

**ANE: 0741-2**
0.70mm
Size: 15.50cm

**ANE: 0741-3**
0.50mm
Size: 15.50cm

**ANE: 0742**
1.50mm
Size: 18.00cm

**ANE: 0742-1**
1.00mm
Size: 18.00cm

**ANE: 0742-2**
0.70mm
Size: 18.00cm

**ANE: 0742-3**
0.50mm
Size: 18.00cm

**ANE: 0743**
2.50mm
Size: 20.00cm

**ANE: 0743-1**
1.50mm
Size: 20.00cm

**ANE: 0743-2**
1.00mm
Size: 20.00cm

**ANE: 0743-3**
0.70mm
Size: 20.00cm

**ANE: 0743-4**
0.50mm
Size: 20.00cm

**ANE: 0744**
1.50mm
Size: 24.00cm

**ANE: 0744-1**
1.00mm
Size: 24.00cm

**ANE: 0744-2**
1.50mm
Size: 22.00cm

**ANE: 0744-3**
1.00mm
Size: 22.00cm

**ANE: 0744-4**
0.70mm
Size: 22.00cm

**ANE: 0744-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# NON STICK
# BIPOLAR FORCEPS

## EUROPEAN PATTERN



ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd.

# NON STICk Bipolar Forceps - European

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**Important Note:** Always mention the tip sizes for NON-STICK Bipolar Forceps during preparation of inquiries/orders.



**ANE: 0745**
Size: 12.10cm

**NON STICK Adson Bipolar Forceps**



**ANE: 0746**
Size: 11.50cm

**NON STICK Jewler # 4 Bipolar Forceps**



**ANE: 0747**
Size: 24.00cm

**ANE: 0747-1**
Size: 22.00cm

**ANE: 0747-2**
Size: 20.00cm

**ANE: 0747-3**
Size: 18.00cm

**ANE: 0747-4**
Size: 15.50cm

**NON STICK Straight Bipolar Forceps**



**ANE: 0748**
Size: 24.00cm

**ANE: 0748-1**
Size: 22.00cm

**ANE: 0748-2**
Size: 20.00cm

**ANE: 0748-3**
Size: 18.00cm

**ANE: 0748-4**
Size: 15.50cm

**NON STICK Bayonet Bipolar Forceps**

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

# Bipolar Electrodes - European

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.



| | | | |
|---|---|---|---|
| **ANE: 0749**<br>Size: 24.00cm | **ANE: 0750**<br>Size: 24.00cm | **ANE: 0751**<br>Size: 24.00cm | **ANE: 0752**<br>Size: 24.00cm |
| **ANE: 0749-1**<br>Size: 20.00cm | **ANE: 0750-1**<br>Size: 20.00cm | **ANE: 0751-1**<br>Size: 20.00cm | **ANE: 0752-1**<br>Size: 20.00cm |
| **ANE: 0749-2**<br>Size: 18.00cm | **ANE: 0750-2**<br>Size: 18.00cm | **ANE: 0751-2**<br>Size: 18.00cm | **ANE: 0752-2**<br>Size: 18.00cm |
| **ANE: 0749-3**<br>Size: 15.50cm | **ANE: 0750-3**<br>Size: 15.50cm | **ANE: 0751-3**<br>Size: 15.50cm | **ANE: 0752-3**<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# ELECTROSURGERY FORCEPS

## American Bipolar Forceps

www.acme-cw.com

ACME
Commercial Ways (Pvt) Ltd.

# Ophthalmic Bipolar Forceps - American

## ENT Special Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.



**ANE: 0753**
1.00mm
Size: 10.20cm

**ANE: 0753-1**
0.70mm
Size: 10.20cm

**ANE: 0753-2**
0.50mm
Size: 10.20cm

**ANE: 0753-3**
0.30mm
Size: 10.20cm

McPherson CRV.
Tip Bipolar Forceps



**ANE: 0754**
1.00mm
Size: 10.80cm

**ANE: 0754-1**
0.70mm
Size: 10.80cm

**ANE: 0754-2**
0.50mm
Size: 10.80cm

**ANE: 0754-3**
0.30mm
Size: 10.80cm

Iris Bipolar
Forceps Ang Tip



**ANE: 0755**
1.50mm
Size: 11.50cm

**ANE: 0755-1**
1.00mm
Size: 11.50cm

**ANE: 0755-2**
0.70mm
Size: 11.50cm

**ANE: 0755-3**
0.50mm
Size: 11.50cm

Jewler # 7
Bipolar Forceps



**ANE: 0756**
1.50mm
Size: 11.50cm

**ANE: 0756-1**
1.00mm
Size: 11.50cm

**ANE: 0756-2**
0.70mm
Size: 11.50cm

**ANE: 0756-3**
0.50mm
Size: 11.50cm

Coaptation
Bipolar Forceps

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Ophthalmic Bipolar Forceps - American

## ENT Special Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0757**
1.50mm
Size: 11.50cm

**ANE: 0757-1**
1.00mm
Size: 11.50cm

**ANE: 0757-2**
0.70mm
Size: 11.50cm

**ANE: 0757-3**
0.50mm
Size: 11.50cm

Jewler # 5 Bipolar Forceps Str. Tip



**ANE: 0758**
1.50mm
Size: 11.50cm

**ANE: 0758-1**
1.00mm
Size: 11.50cm

**ANE: 0758-2**
0.70mm
Size: 11.50cm

**ANE: 0758-3**
0.50mm
Size: 11.50cm

Jewler # 4 Bipolar Forceps Str. Tip



**ANE: 0759**
1.50mm
Size: 12.10cm

**ANE: 0759-1**
1.00mm
Size: 12.10cm

**ANE: 0759-2**
0.70mm
Size: 12.10cm

**ANE: 0759-3**
0.50mm
Size: 12.10cm

Adson Bipolar Forceps



**ANE: 0760**
1.50mm
Size: 16.00cm

**ANE: 0760-1**
1.00mm
Size: 16.00cm

**ANE: 0760-2**
0.70mm
Size: 16.00cm

**ANE: 0760-3**
0.50mm
Size: 16.00cm

Semkin Bipolar Forceps


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Cushing Bipolar Forceps - American
## Gursh Style Straight

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0764**
1.50mm
Size: 24.00cm

**ANE: 0764-1**
1.00mm
Size: 24.00cm

**ANE: 0764-2**
1.50mm
Size: 22.00cm

**ANE: 0764-3**
1.00mm
Size: 22.00cm

**ANE: 0764-4**
0.70mm
Size: 22.00cm

**ANE: 0764-5**
0.50mm
Size: 22.00cm

**ANE: 0763**
1.50mm
Size: 20.00cm

**ANE: 0763-1**
1.00mm
Size: 20.00cm

**ANE: 0763-2**
0.70mm
Size: 20.00cm

**ANE: 0763-3**
0.50mm
Size: 20.00cm

**ANE: 0762**
1.50mm
Size: 18.00cm

**ANE: 0762-1**
1.00mm
Size: 18.00cm

**ANE: 0762-2**
0.70mm
Size: 18.00cm

**ANE: 0762-3**
0.50mm
Size: 18.00cm

**ANE: 0761**
1.50mm
Size: 15.50cm

**ANE: 0761-1**
1.00mm
Size: 15.50cm

**ANE: 0761-2**
0.70mm
Size: 15.50cm

**ANE: 0761-3**
0.50mm
Size: 15.50cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




Commercial Ways (Pvt) Ltd.

# Cushing Bipolar Forceps - American

## Straight Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0765**
1.50mm
Size: 15.50cm

**ANE: 0765-1**
1.00mm
Size: 15.50cm

**ANE: 0765-2**
0.70mm
Size: 15.50cm

**ANE: 0765-3**
0.50mm
Size: 15.50cm

**ANE: 0766**
1.50mm
Size: 18.00cm

**ANE: 0766-1**
1.00mm
Size: 18.00cm

**ANE: 0766-2**
0.70mm
Size: 18.00cm

**ANE: 0766-3**
0.50mm
Size: 18.00cm

**ANE: 0767**
1.50mm
Size: 20.00cm

**ANE: 0767-1**
1.00mm
Size: 20.00cm

**ANE: 0767-2**
0.70mm
Size: 20.00cm

**ANE: 0767-3**
0.50mm
Size: 20.00cm

**ANE: 0768**
1.50mm
Size: 24.00cm

**ANE: 0768-1**
1.00mm
Size: 24.00cm

**ANE: 0768-2**
1.50mm
Size: 22.00cm

**ANE: 0768-3**
1.00mm
Size: 22.00cm

**ANE: 0768-4**
0.70mm
Size: 22.00cm

**ANE: 0768-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Gerald Bipolar Forceps - American

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0769**
1.50mm
Size: 15.50cm

**ANE: 0769-1**
1.00mm
Size: 15.50cm

**ANE: 0769-2**
0.70mm
Size: 15.50cm

**ANE: 0769-3**
0.50mm
Size: 15.50cm

**ANE: 0770**
1.50mm
Size: 18.00cm

**ANE: 0770-1**
1.00mm
Size: 18.00cm

**ANE: 0770-2**
0.70mm
Size: 18.00cm

**ANE: 0770-3**
0.50mm
Size: 18.00cm

**ANE: 0771**
1.50mm
Size: 20.00cm

**ANE: 0771-1**
1.00mm
Size: 20.00cm

**ANE: 0771-2**
0.70mm
Size: 20.00cm

**ANE: 0771-3**
0.50mm
Size: 20.00cm

**ANE: 0772**
1.50mm
Size: 24.00cm

**ANE: 0772-1**
1.00mm
Size: 24.00cm

**ANE: 0772-2**
1.50mm
Size: 22.00cm

**ANE: 0772-3**
1.00mm
Size: 22.00cm

**ANE: 0772-4**
0.70mm
Size: 22.00cm

**ANE: 0772-5**
0.50mm
Size: 22.00cm


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Gerald Bipolar Forceps - American
## Angle Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0773**
1.50mm
Size: 15.50cm

**ANE: 0773-1**
1.00mm
Size: 15.50cm

**ANE: 0773-2**
0.70mm
Size: 15.50cm

**ANE: 0773-3**
0.50mm
Size: 15.50cm

**ANE: 0774**
1.50mm
Size: 18.00cm

**ANE: 0774-1**
1.00mm
Size: 18.00cm

**ANE: 0774-2**
0.70mm
Size: 18.00cm

**ANE: 0774-3**
0.50mm
Size: 18.00cm

**ANE: 0775**
2.50mm
Size: 20.00cm

**ANE: 0775-1**
1.50mm
Size: 20.00cm

**ANE: 0775-2**
1.00mm
Size: 20.00cm

**ANE: 0775-3**
0.70mm
Size: 20.00cm

**ANE: 0775-4**
0.50mm
Size: 20.00cm

**ANE: 0776**
1.50mm
Size: 24.00cm

**ANE: 0776-1**
1.00mm
Size: 24.00cm

**ANE: 0776-2**
1.50mm
Size: 22.00cm

**ANE: 0776-3**
1.00mm
Size: 22.00cm

**ANE: 0776-4**
0.70mm
Size: 22.00cm

**ANE: 0776-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Jensen Bipolar Forceps - American

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0780**
1.50mm
Size: 24.00cm

**ANE: 0779**
2.50mm
Size: 20.00cm

**ANE: 0778**
1.50mm
Size: 18.00cm

**ANE: 0777**
1.50mm
Size: 15.50cm

**ANE: 0780-1**
1.00mm
Size: 24.00cm

**ANE: 0779-1**
1.50mm
Size: 20.00cm

**ANE: 0778-1**
1.00mm
Size: 18.00cm

**ANE: 0777-1**
1.00mm
Size: 15.50cm

**ANE: 0780-2**
1.50mm
Size: 22.00cm

**ANE: 0779-2**
1.00mm
Size: 20.00cm

**ANE: 0778-2**
0.70mm
Size: 18.00cm

**ANE: 0777-2**
0.70mm
Size: 15.50cm

**ANE: 0780-3**
1.00mm
Size: 22.00cm

**ANE: 0779-3**
0.70mm
Size: 20.00cm

**ANE: 0780-4**
0.70mm
Size: 22.00cm

**ANE: 0779-4**
0.50mm
Size: 20.00cm

**ANE: 0778-3**
0.50mm
Size: 18.00cm

**ANE: 0777-3**
0.50mm
Size: 15.50cm

**ANE: 0780-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




Commercial Ways (Pvt) Ltd.

# Malis Bipolar Forceps - American

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0781**
1.50mm
Size: 15.50cm

**ANE: 0781-1**
1.00mm
Size: 15.50cm

**ANE: 0781-2**
0.70mm
Size: 15.50cm

**ANE: 0781-3**
0.50mm
Size: 15.50cm

**ANE : 0782**
1.50mm
Size: 18.00cm

**ANE: 0782-1**
1.00mm
Size: 18.00cm

**ANE: 0782-2**
0.70mm
Size: 18.00cm

**ANE: 0782-3**
0.50mm
Size: 18.00cm

**ANE: 0783**
2.50mm
Size: 20.00cm

**ANE: 0783-1**
1.50mm
Size: 20.00cm

**ANE: 0783-2**
1.00mm
Size: 20.00cm

**ANE: 0783-3**
0.70mm
Size: 20.00cm

**ANE: 0783-4**
0.50mm
Size: 20.00cm

**ANE: 0784**
1.50mm
Size: 24.00cm

**ANE: 0784-1**
1.00mm
Size: 24.00cm

**ANE: 0784-2**
1.50mm
Size: 22.00cm

**ANE: 0784-3**
1.00mm
Size: 22.00cm

**ANE: 0784-4**
0.70mm
Size: 22.00cm

**ANE: 0784-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.




# Scoville Bipolar Forceps - American

## Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0788**
1.50mm
Size: 24.00cm

**ANE: 0787**
2.50mm
Size: 20.00cm

**ANE: 0788-1**
1.00mm
Size: 24.00cm

**ANE: 0785**
1.50mm
Size: 15.50cm

**ANE : 0786**
1.50mm
Size: 18.00cm

**ANE: 0787-1**
1.50mm
Size: 20.00cm

**ANE: 0788-2**
1.50mm
Size: 22.00cm

**ANE: 0785-1**
1.00mm
Size: 15.50cm

**ANE: 0786-1**
1.00mm
Size: 18.00cm

**ANE: 0787-2**
1.00mm
Size: 20.00cm

**ANE: 0788-3**
1.00mm
Size: 22.00cm

**ANE: 0785-2**
0.70mm
Size: 15.50cm

**ANE: 0786-2**
0.70mm
Size: 18.00cm

**ANE: 0787-3**
0.70mm
Size: 20.00cm

**ANE: 0788-4**
0.70mm
Size: 22.00cm

**ANE: 0785-3**
0.50mm
Size: 15.50cm

**ANE: 0786-3**
0.50mm
Size: 18.00cm

**ANE: 0787-4**
0.50mm
Size: 20.00cm

**ANE: 0788-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

95 Max Temperature in Washer Disinfector (°C)

137 Max Temperature in Autoclave (°C)

1 One Piece Packing

max kVP Electrical Capacity

info@acme-cw.com

Commercial Ways (Pvt) Ltd.

# Hardy Bipolar Forceps - American
## Angled Shape Straight Tips

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0789**
1.50mm
Size: 15.50cm

**ANE: 0789-1**
1.00mm
Size: 15.50cm

**ANE: 0789-2**
0.70mm
Size: 15.50cm

**ANE: 0789-3**
0.50mm
Size: 15.50cm

**ANE: 0790**
1.50mm
Size: 18.00cm

**ANE: 0790-1**
1.00mm
Size: 18.00cm

**ANE: 0790-2**
0.70mm
Size: 18.00cm

**ANE: 0790-3**
0.50mm
Size: 18.00cm

**ANE: 0791**
2.50mm
Size: 20.00cm

**ANE: 0791-1**
1.50mm
Size: 20.00cm

**ANE: 0791-2**
1.00mm
Size: 20.00cm

**ANE: 0791-3**
0.70mm
Size: 20.00cm

**ANE: 0791-4**
0.50mm
Size: 20.00cm

**ANE: 0792**
2.50mm
Size: 24.00cm

**ANE: 0792-1**
1.00mm
Size: 24.00cm

**ANE: 0792-2**
1.50mm
Size: 22.00cm

**ANE: 0792-3**
1.00mm
Size: 22.00cm

**ANE: 0792-4**
0.70mm
Size: 22.00cm

**ANE: 0792-5**
0.50mm
Size: 22.00cm


**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

95 Max Temperature in Washer Disinfector (°C)
137 Max Temperature in Autoclave (°C)
1 One Piece Packing
max kVP Electrical Capacity

# Hardy Bipolar Forceps - American
## Straight Shape Double Stopper

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.



**ANE: 0793**
1.50mm
Size: 15.50cm

**ANE: 0793-1**
1.00mm
Size: 15.50cm

**ANE: 0793-2**
0.70mm
Size: 15.50cm

**ANE: 0793-3**
0.50mm
Size: 15.50cm

**ANE: 0794**
1.50mm
Size: 18.00cm

**ANE: 0794-1**
1.00mm
Size: 18.00cm

**ANE: 0794-2**
0.70mm
Size: 18.00cm

**ANE: 0794-3**
0.50mm
Size: 18.00cm

**ANE: 0795**
2.50mm
Size: 20.00cm

**ANE: 0795-1**
1.50mm
Size: 20.00cm

**ANE: 0795-2**
1.00mm
Size: 20.00cm

**ANE: 0795-3**
0.70mm
Size: 20.00cm

**ANE: 0795-4**
0.50mm
Size: 20.00cm

**ANE: 0796**
1.50mm
Size: 24.00cm

**ANE: 0796-1**
1.00mm
Size: 24.00cm

**ANE: 0796-2**
1.50mm
Size: 22.00cm

**ANE: 0796-3**
1.00mm
Size: 22.00cm

**ANE: 0796-4**
0.70mm
Size: 22.00cm

**ANE: 0796-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

95 Max Temperature in Washer Disinfector (°C)
137 Max Temperature in Autoclave (°C)
1 One Piece Packing
max kVP Electrical Capacity

Commercial Ways (Pvt) Ltd.

# Irrigation Bipolar Forceps - American Cushing Straight Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight









**ANE: 0800**
1.50mm
Size:24.00cm

**ANE: 0800-1**
1.00mm
Size: 24.00cm

**ANE: 0797**
1.50mm
Size: 15.50cm

**ANE: 0798**
1.50mm
Size: 18.00cm

**ANE: 0799**
1.50mm
Size: 20.00cm

**ANE: 0800-2**
1.50mm
Size: 22.00cm

**ANE: 0797-1**
1.00mm
Size: 15.50cm

**ANE: 0798-1**
1.00mm
Size: 18.00cm

**ANE: 0799-1**
1.00mm
Size: 20.00cm

**ANE: 0800-3**
1.00mm
Size: 22.00cm

**ANE: 0797-2**
0.70mm
Size: 15.50cm

**ANE: 0798-2**
0.70mm
Size: 18.00cm

**ANE: 0799-2**
0.70mm
Size: 20.00cm

**ANE: 0800-4**
0.70mm
Size: 22.00cm

**ANE: 0797-3**
0.50mm
Size: 15.50cm

**ANE: 0798-3**
0.50mm
Size: 18.00cm

**ANE: 0799-3**
0.50mm
Size: 20.00cm

**ANE: 0800-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Irrigation Bipolar Forceps - American

## Jensen Straight Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0801**
1.50mm
Size: 15.50cm

**ANE: 0801-1**
1.00mm
Size: 15.50cm

**ANE: 0801-2**
0.70mm
Size: 15.50cm

**ANE: 0801-3**
0.50mm
Size: 15.50cm




**ANE: 0802**
1.50mm
Size: 18.00cm

**ANE: 0802-1**
1.00mm
Size: 18.00cm

**ANE: 0802-2**
0.70mm
Size: 18.00cm

**ANE: 0802-3**
0.50mm
Size: 18.00cm




**ANE: 0803**
2.50mm
Size: 20.00cm

**ANE: 0803-1**
1.50mm
Size: 20.00cm

**ANE: 0803-1**
1.00mm
Size: 20.00cm

**ANE: 0803-2**
0.70mm
Size: 20.00cm

**ANE: 0803-3**
0.50mm
Size: 20.00cm



**ANE: 0804**
1.50mm
Size: 24.00cm

**ANE: 0804-1**
1.00mm
Size: 24.00cm

**ANE: 0804-2**
1.50mm
Size: 22.00cm

**ANE: 0804-3**
1.00mm
Size: 22.00cm

**ANE: 0804-4**
0.70mm
Size: 22.00cm

**ANE: 0804-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Irrigation Bipolar Forceps - American
# Hardy Straight Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0805**
1.50mm
Size: 18.00cm

**ANE: 0805-1**
1.00mm
Size: 18.00cm

**ANE: 0805-2**
0.70mm
Size: 18.00cm

0.50mm
**ANE: 0805-3**
Size: 18.00cm



**ANE: 0806**
2.50mm
Size: 20.00cm

**ANE: 0806-1**
1.50mm
Size: 20.00cm

**ANE: 0806-2**
1.00mm
Size: 20.00cm

**ANE: 0806-3**
0.70mm
Size: 20.00cm

**ANE: 0806-4**
0.50mm
Size: 20.00cm



**ANE: 0807**
1.50mm
Size: 24.00cm

**ANE: 0807-1**
1.00mm
Size: 24.00cm

**ANE: 0807-2**
1.50mm
Size: 22.00cm

**ANE: 0807-3**
1.00mm
Size: 22.00cm

**ANE: 0807-4**
0.70mm
Size: 22.00cm

**ANE: 0807-5**
0.50mm
Size: 22.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# NON STICK BIPOLAR FORCEPS

## AMERICAN PATTERN



ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd.

# NON STICK Bipolar Forceps - American
## Ophthalmic Surgery Specical Featured Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**Note:** Always mention the tip sizes for NON-STICK Bipolar Forceps while preparing the inquiry/order.



**ANE: 0808**
Size: 11.50cm

**NON STICK Jewler**
**# 4 Bipolar Forceps**



**ANE: 0809**
Size: 11.50cm

**NON STICK Jewler**
**# 5 Bipolar Forceps**



**ANE: 0810**
Size: 12.10cm

**NON STICK Adson**
**Bipolar Forceps**



**ANE: 0811**
Size: 16.00cm

**NON STICK Semkin**
**Bipolar Forceps**

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# NON STICK Bipolar Forceps - American
## General Surgery Specical Featured Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.

**Important Note:** Always mention the tip sizes for NON-STICK Bipolar Forcens while preparing the inquiry/order.



**ANE: 0812**
Size: 24.00cm

**ANE: 0812-1**
Size: 22.00cm

**ANE: 0812-2**
Size: 20.00cm

**ANE: 0812-3**
Size: 18.00cm

**ANE: 0812-4**
Size: 15.50cm

**NON STICK Cushing (Gursh) Bipolar Forceps**



**ANE: 0813**
Size: 24.00cm

**ANE: 0813-1**
Size: 22.00cm

**ANE: 0813-2**
Size: 20.00cm

**ANE: 0813-3**
Size: 18.00cm

**ANE: 0813-4**
Size: 15.50cm

**NON STICK Cushing Bipolar Forceps**



**ANE: 0814**
Size: 24.00cm

**ANE: 0814-1**
Size: 22.00cm

**ANE: 0814-2**
Size: 20.00cm

**ANE: 0814-3**
Size: 18.00cm

**ANE: 0814-4**
Size: 15.50cm

**NON STICK Gerald Bipolar Forceps**

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# NON STICK Bipolar Forceps – American
## General Surgery Special Featured Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**Important Note:** Always mention the tip sizes for NON-STICK Bipolar Forceps while preparing the inquiry/order.



**ANE: 0815**
Size: 24.00cm

**ANE: 0815-1**
Size: 22.00cm

**ANE: 0815-2**
Size: 20.00cm

**ANE: 0815-3**
Size: 18.00cm

**ANE: 0815-4**
Size: 15.50cm

NON STICK Jensen
Bipolar Forceps



**ANE: 0816**
Size: 24.00cm

**ANE: 0816-1**
Size: 22.00cm

**ANE: 0816-2**
Size: 20.00cm

**ANE: 0816-3**
Size: 18.00cm

**ANE: 0816-4**
Size: 15.50cm

NON STICK Scoville
Bipolar Forceps



**ANE: 0817**
Size: 24.00cm

**ANE: 0817-1**
Size: 22.00cm

**ANE: 0817-2**
Size: 20.00cm

**ANE: 0817-3**
Size:18.00cm

**ANE: 0817-4**
Size: 15.50cm

NON STICK Hardy
Bipolar Forceps



**ANE: 0818**
Size: 24.00cm

**ANE: 0818-1**
Size: 22.00cm

**ANE: 0818-2**
Size: 20.00cm

**ANE: 0818-3**
Size: 18.00cm

**ANE: 0818-4**
Size: 15.50cm

NON STICK Hardy
Angled Bipolar Forceps

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# ELECTROSURGERY FORCEPS

## Monopolar Forceps and Scissors

ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd.

# Monopolar Forceps
# Monopolar Adson Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection



European Fitting
4.0mm Connection
with Connector



Monopolar Fitting
without connector





**ANE: 0819**
1.50mm
Size: 12.10cm



**ANE: 0820**
1.50mm
Size: 12.10cm



**ANE: 0821**
1.50mm
Size: 12.10cm



**ANE: 0822**
1.50mm
Size: 12.10cm



**ANE: 0823**
1.50mm
Size: 12.10cm



**ANE: 0819-1**
1.00mm
Size: 12.10cm



**ANE: 0820-1**
1.00mm
Size: 12.10cm



**ANE: 0821-1**
1.00mm
Size: 12.10cm



**ANE: 0822-1**
1.00mm
Size: 12.10cm



**ANE: 0823-1**
1.00mm
Size: 12.10cm



**ANE:0819-2**
0.70mm
Size: 12.10cm



**ANE: 0820-2**
0.70mm
Size: 12.10cm



**ANE: 0821-2**
0.70mm
Size: 12.10cm



**ANE: 0822-2**
0.70mm
Size: 12.10cm



**ANE: 0823-2**
0.70mm
Size: 12.10cm



**ANE:0819-2**
0.50mm
Size: 12.10cm



**ANE: 0820-3**
0.50mm
Size: 12.10cm



**ANE: 0821-3**
0.50mm
Size: 12.10cm



**ANE: 0822-3**
0.50mm
Size: 12.10cm



**ANE: 0823-3**
0.50mm
Size: 12.10cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.












# Monopolar Forceps
# Monopolar McIndoe Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



| American Fitting 4.8mm Connection | American Fitting 4.0mm Connection | European Fitting 4.0mm Connection | European Fitting 4.0mm Connection with Connector | Mónopolar Fitting without connector |
|---|---|---|---|---|
| **ANE: 0824**<br>1.50mm<br>Size: 24.00cm | **ANE: 0825**<br>1.50mm<br>Size: 24.00cm | **ANE: 0826**<br>1.50mm<br>Size: 24.00cm | **ANE: 0827**<br>1.50mm<br>Size: 24.00cm | **ANE: 0828**<br>1.50mm<br>Size: 24.00cm |
| **ANE: 0824-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0825-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0826-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0827-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0828-1**<br>1.00mm<br>Size: 20.00cm |
| **ANE: 0824-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0825-2**<br>0.70mm<br>Size: 18.00cm | **ANE:0826-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0827-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0828-2**<br>0.70mm<br>Size: 18.00cm |
| **ANE: 0824-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0825-3**<br>0.50mm<br>Size: 15.50cm | **ANE:1806**<br>0.50mm<br>Size:15.50cm | **ANE: 0827-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0828-3**<br>0.50mm<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

Commercial Ways (Pvt) Ltd.

# Monopolar Forceps
# Monopolar Gillies Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight





| American Fitting 4.8mm Connection | American Fitting 4.0mm Connection | European Fitting 4.0mm Connection | European Fitting 4.0mm Connection with Connector | Monopolar Fitting without connector |
|---|---|---|---|---|
| **ANE: 0829**<br>1.50 mm<br>Size: 24.00 cm | **ANE: 0830**<br>1.50 mm<br>Size: 24.00 cm | **ANE: 0831**<br>1.50 mm<br>Size:24.00 cm | **ANE: 0832**<br>1.50 mm<br>Size: 24.00 cm | **ANE: 0833**<br>1.50 mm<br>Size: 24.00 cm |
| **ANE: 0829-1**<br>1.00 mm<br>Size: 20.00 cm | **ANE: 0830-1**<br>1.00 mm<br>Size: 20.00 cm | **ANE: 0831-1**<br>1.00 mm<br>Size: 20.00 cm | **ANE: 0832-1**<br>1.00 mm<br>Size: 20.00 cm | **ANE: 0833-1**<br>1.00 mm<br>Size: 20.00 cm |
| **ANE: 0829-2**<br>0.70 mm<br>Size: 18.00 cm | **ANE: 0830-2**<br>0.70 mm<br>Size: 18.00 cm | **ANE: 0831-2**<br>0.70 mm<br>Size: 18.00 cm | **ANE: 0832-2**<br>0.70 mm<br>Size: 18.00 cm | **ANE: 0833-2**<br>0.70 mm<br>Size: 18.00 cm |
| **ANE: 0829-3**<br>0.50 mm<br>Size: 15.50 cm | **ANE: 0830-3**<br>0.50 mm<br>Size: 15.50 cm | **ANE: 0831-3**<br>0.50 mm<br>Size: 15.50 cm | **ANE: 0832-3**<br>0.50 mm<br>Size: 15.50 cm | **ANE: 0833-3**<br>0.50 mm<br>Size: 15.50 cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Monopolar Forceps
# Monopolar Gerald Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



American Fitting
4.8mm Connection

**ANE: 0834**
1.50 mm
Size: 24.00 cm

**ANE: 0834-1**
1.00 mm
Size: 20.00 cm

**ANE: 0834-2**
0.70 mm
Size: 18.00 cm

**ANE: 0834-3**
0.50 mm
Size: 15.50 cm



American Fitting
4.0mm Connection

**ANE: 0835**
1.50 mm
Size: 24.00 cm

**ANE: 0835-1**
1.00 mm
Size: 20.00 cm

**ANE: 0835-2**
0.70 mm
Size: 18.00 cm

**ANE: 0835-3**
0.50 mm
Size: 15.50 cm



European Fitting
4.0mm Connection

**ANE: 0836**
1.50 mm
Size: 24.00 cm

**ANE: 0836-1**
1.00 mm
Size: 20.00 cm

**ANE: 0836-2**
0.70 mm
Size: 18.00 cm

**ANE: 0836-3**
0.50 mm
Size: 15.50 cm



European Fitting
4.0mm Connection
with Connector

**ANE: 0837**
1.50 mm
Size: 24.00 cm

**ANE: 0837-1**
1.00 mm
Size: 20.00 cm

**ANE: 0837-2**
0.70 mm
Size: 18.00 cm

**ANE: 0837-3**
0.50 mm
Size: 15.50 cm



Monopolar Fitting
without connector

**ANE: 0838**
1.50 mm
Size: 24.00 cm

**ANE: 0838-1**
1.00 mm
Size: 20.00 cm

**ANE: 0838-2**
0.70 mm
Size: 18.00 cm

**ANE: 0838-3**
0.50 mm
Size: 15.50 cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

Commercial Ways (Pvt) Ltd.

# Monopolar Forceps

## Monopolar Remington Hobb Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



| American Fitting 4.8mm Connection | American Fitting 4.0mm Connection | European Fitting 4.0mm Connection | European Fitting 4.0mm Connection with Connector | Monopolar Fitting without connector |
|---|---|---|---|---|
| **ANE: 0839**<br>1.50mm<br>Size:24.00cm | **ANE: 0840**<br>1.50mm<br>Size:24.00cm | **ANE: 0841**<br>1.50mm<br>Size:24.00cm | **ANE: 0842**<br>1.50mm<br>Size: 24.00cm | **ANE: 0843**<br>1.50mm<br>Size: 24.00cm |
| **ANE: 0839-1**<br>1.00mm<br>Size:20.00cm | **ANE: 0840-1**<br>1.00mm<br>Size:20.00cm | **ANE: 0841-1**<br>1.00mm<br>Size:20.00cm | **ANE: 0842-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0843-1**<br>1.00mm<br>Size:20.00cm |
| **ANE: 0839-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0840-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0841-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0842-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0843-2**<br>0.70mm<br>Size: 18.00cm |
| **ANE: 0839-3**<br>0.50mm<br>Size:15.50cm | **ANE: 0840-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0841-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0842-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0843-3**<br>0.50mm<br>Size: 15.50cm |

**Note for above products:** Special lengths + Tips and/or colours can be custom ordered as per the demand.



# Monopolar Forceps
# Monopolar Dissecting Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.





American Fitting
4.8mm Connection



**ANE:0844**
1.50 mm
Size:24.00 cm



**ANE:0844-1**
1.00 mm
Size:20.00 cm



**ANE:0844-2**
0.70 mm
Size: 18.00 cm



**ANE:0844-3**
0.50 mm
Size:15.50 cm



American Fitting
4.0mm Connection



**ANE:0845**
1.50 mm
Size:24.00 cm



**ANE:0845-1**
1.00 mm
Size:20.00 cm



**ANE:0845-2**
0.70mm
Size: 18.00cm



**ANE:0845-3**
0.50mm
Size:15.50cm



European Fitting
4.0mm Connection



**ANE:0846**
1.50 mm
Size:24.00 cm



**ANE:0846-1**
1.00 mm
Size:20.00 cm



**ANE:0846-2**
0.70 mm
Size: 18.00 cm



**ANE:0846-3**
0.50mm
Size:15.50cm



European Fitting
4.0mm Connection
with Connector



**ANE:0847**
1.50 mm
Size:24.00 cm



**ANE:0847-1**
1.00 mm
Size:20.00 cm



**ANE:0847-2**
0.70 mm
Size: 18.00 cm



**ANE:0847-3**
0.50 mm
Size:15.50 cm



Monopolar Fitting
without connector



**ANE:0848**
1.50 mm
Size:24.00 cm



**ANE:0848-1**
1.00 mm
Size:20.00 cm



**ANE:0848-2**
0.70mm
Size: 18.00cm



**ANE:0848-3**
0.50 mm
Size:15.50 cm

**Note for above products:** Special lengths + Tips and/or colours can be custom ordered as per the demand.












Commercial Ways (Pvt) Ltd.

# Monopolar Forceps
# Monopolar Bayonet Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection



European Fitting
4.0mm Connection
with Connector



Monopolar Fitting
without connector



| | | | | |
|---|---|---|---|---|
| **ANE: 0849**<br>1.50mm<br>Size: 24.00cm | **ANE: 0850**<br>1.50mm<br>Size: 24.00cm | **ANE: 0851**<br>1.50mm<br>Size: 24.00cm | **ANE: 0852**<br>1.50mm<br>Size: 24.00cm | **ANE: 0853**<br>1.50mm<br>Size: 24.00cm |
| **ANE: 0849-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0850-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0851-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0852-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0853-1**<br>1.00mm<br>Size: 20.00cm |
| **ANE: 0849-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0850-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0851-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0852-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0853-2**<br>0.70mm<br>Size: 18.00cm |
| **ANE: 0849-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0850-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0851-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0852-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0853-3**<br>0.50mm<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Monopolar Forceps

## Monopolar Bayonet Forceps Angle Tip UP

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



| American Fitting 4.8mm Connection | American Fitting 4.0mm Connection | European Fitting 4.0mm Connection | European Fitting 4.0mm Connection with Connector | Monopolar Fitting without connector |
|---|---|---|---|---|
| **ANE: 0854**<br>1.50mm<br>Size: 24.00cm | **ANE: 0855**<br>1.50mm<br>Size: 24.00cm | **ANE: 0856**<br>1.50mm<br>Size: 24.00cm | **ANE: 0857**<br>1.50mm<br>Size: 24.00cm | **ANE: 0858**<br>1.50mm<br>Size: 24.00cm |
| **ANE: 0854-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0855-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0856-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0857-1**<br>1.00mm<br>Size: 20.00cm | **ANE: 0858-1**<br>1.00mm<br>Size: 20.00cm |
| **ANE: 0854-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0855-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0856-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0857-2**<br>0.70mm<br>Size: 18.00cm | **ANE: 0858-2**<br>0.70mm<br>Size: 18.00cm |
| **ANE: 0854-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0855-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0856-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0857-3**<br>0.50mm<br>Size: 15.50cm | **ANE: 0858-3**<br>0.50mm<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Monopolar Scissors
## Monopolar Turner Warwick Scissor

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight




American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection



| | | |
|---|---|---|
| **ANE: 0859**<br>Straight<br>Size:24 cm | **ANE: 0860**<br>Straight<br>Size: 24cm | **ANE: 0861**<br>Straight<br>Size: 24cm |
| **ANE: 0859-1**<br>Angled<br>Size: 24cm | **ANE: 0860-1**<br>Angled<br>Size: 24cm | **ANE: 0861-1**<br>Angled<br>Size: 24cm |
| **ANE: 0859-2**<br>Straight<br>Size: 20cm | **ANE: 0860-2**<br>Straight<br>Size: 20cm | **ANE: 0861-2**<br>Straight<br>Size: 20cm |
| **ANE: 0859-3**<br>Angled<br>Size: 20cm | **ANE: 0860-3**<br>Angled<br>Size: 20cm | **ANE: 0861-3**<br>Angled<br>Size: 20cm |
| **ANE: 0859-4**<br>Straight<br>Size: 18cm | **ANE: 0860-4**<br>Straight<br>Size:18cm | **ANE: 0861-4**<br>Straight<br>Size: 18cm |
| **ANE: 0859-5**<br>Angled<br>Size: 18cm | **ANE: 0860-5**<br>Angled<br>Size: 18cm | **ANE: 0861-5**<br>Angled<br>Size: 18cm |
| **ANE: 0859-6**<br>Straight<br>Size:15.50cm | **ANE: 0860-6**<br>Straight<br>Size: 15.50cm | **ANE: 0861-6**<br>Straight<br>Size: 15.50cm |
| **ANE: 0859-7**<br>Angled<br>Size:15.50cm | **ANE: 0860-7**<br>Angled<br>Size: 15.50cm | **ANE: 0861-7**<br>Angled<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Monopolar Scissors

## Monopolar Dressing Scissor

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.





American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection

| | | |
|---|---|---|
| **ANE: 0862**<br>Straight<br>Size: 24cm | **ANE: 0863**<br>Straight<br>Size: 24cm | **ANE: 0864**<br>Straight<br>Size: 24cm |
| **ANE: 0862-1**<br>Angled<br>Size: 24cm | **ANE: 0863-1**<br>Angled<br>Size:24cm | **ANE: 0864-1**<br>Angled<br>Size: 24cm |
| **ANE: 0862-2**<br>Straight<br>Size: 20cm | **ANE: 0863-2**<br>Straight<br>Size: 20cm | **ANE: 0864-2**<br>Straight<br>Size: 20cm |
| **ANE: 0862-3**<br>Angled<br>Size: 20cm | **ANE: 0863-3**<br>Angled<br>Size: 20cm | **ANE: 0864-3**<br>Angled<br>Size: 20cm |
| **ANE: 0862-4**<br>Straight<br>Size: 18cm | **ANE: 0863-4**<br>Straight<br>Size: 18cm | **ANE: 0864-4**<br>Straight<br>Size: 18cm |
| **ANE: 0862-5**<br>Angled<br>Size: 18 cm | **ANE: 0863-5**<br>Angled<br>Size: 18cm | **ANE: 0864-5**<br>Angled<br>Size: 18cm |
| **ANE: 0862-6**<br>Straight<br>Size: 15.50cm | **ANE: 0863-6**<br>Straight<br>Size: 15.50cm | **ANE: 0864-6**<br>Straight<br>Size: 15.50cm |
| **ANE: 0862-7**<br>Angled<br>Size: 15.50cm | **ANE: 0863-7**<br>Angled<br>Size: 15.50cm | **ANE: 0864-7**<br>Angled<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Monopolar Forceps
# Monopolar Wilson Hey Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight





American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection

| | | |
|---|---|---|
| **ANE: 0865**<br>Straight<br>Size: 24cm | **ANE: 0866**<br>Straight<br>Size: 24cm | **ANE: 0867**<br>Straight<br>Size: 24cm |
| **ANE: 0865-1**<br>Angled<br>Size: 24cm | **ANE: 0866-1**<br>Angled<br>Size: 24cm | **ANE: 0867-1**<br>Angled<br>Size: 24cm |
| **ANE: 0865-2**<br>Straight<br>Size: 20cm | **ANE: 0866-2**<br>Straight<br>Size: 20cm | **ANE: 0867-2**<br>Straight<br>Size: 20cm |
| **ANE: 0865-3**<br>Angled<br>Size: 20cm | **ANE: 0866-3**<br>Angled<br>Size: 20cm | **ANE: 0867-3**<br>Angled<br>Size: 20cm |
| **ANE: 0865-4**<br>Straight<br>Size: 18cm | **ANE: 0866-4**<br>Straight<br>Size: 18cm | **ANE: 0867-4**<br>Straight<br>Size: 18cm |
| **ANE: 0865-5**<br>Angled<br>Size: 18cm | **ANE: 0866-5**<br>Angled<br>Size: 18cm | **ANE: 0867-5**<br>Angled<br>Size: 18cm |
| **ANE: 0865-6**<br>Straight<br>Size: 15.50cm | **ANE: 0866-6**<br>Straight<br>Size: 15.50cm | **ANE: 0867-6**<br>Straight<br>Size: 15.50cm |
| **ANE: 0865-7**<br>Angled<br>Size: 15.50cm | **ANE: 0866-7**<br>Angled<br>Size: 15.50cm | **ANE: 0867-7**<br>Angled<br>Size:15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Monopolar Forceps
# Monopolar Artery Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection



| | | |
|---|---|---|
| **ANE: 0868**<br>Straight<br>Size: 24cm | **ANE: 0869**<br>Straight<br>Size: 24cm | **ANE: 0870**<br>Straight<br>Size: 24cm |
| **ANE: 0868-1**<br>Angled<br>Size: 24cm | **ANE: 0869-1**<br>Angled<br>Size: 24cm | **ANE: 0870-1**<br>Angled<br>Size: 24cm |
| **ANE: 0868-2**<br>Straight<br>Size: 20cm | **ANE: 0869-2**<br>Straight<br>Size: 20cm | **ANE: 0870-2**<br>Straight<br>Size: 20cm |
| **ANE: 0868-3**<br>Angled<br>Size: 20cm | **ANE: 0869-3**<br>Angled<br>Size: 20cm | **ANE: 0870-3**<br>Angled<br>Size: 20cm |
| **ANE: 0868-4**<br>Straight<br>Size: 18cm | **ANE: 0869-4**<br>Straight<br>Size: 18cm | **ANE: 0870-4**<br>Straight<br>Size: 18cm |
| **ANE: 0868-5**<br>Angled<br>Size: 18cm | **ANE: 0869-5**<br>Angled<br>Size: 18cm | **ANE: 0870-5**<br>Angled<br>Size: 18cm |
| **ANE: 0868-6**<br>Straight<br>Size: 15.50cm | **ANE:0869-6**<br>Straight<br>Size: 15.50cm | **ANE: 0870-6**<br>Straight<br>Size: 15.50cm |
| **ANE: 0868-7**<br>Angled<br>Size: 15.50cm | **ANE: 0869-7**<br>Angled<br>Size: 15.50cm | **ANE: 0870-7**<br>Angled<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

# Monopolar Forceps
# Monopolar Richie Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



American Fitting
4.8mm Connection



American Fitting
4.0mm Connection



European Fitting
4.0mm Connection



| | | |
|---|---|---|
| **ANE: 0871**<br>Straight<br>Size: 24cm | **ANE: 0872**<br>Straight<br>Size: 24cm | **ANE: 0873**<br>Straight<br>Size: 24cm |
| **ANE: 0871-1**<br>Angled<br>Size: 24cm | **ANE: 0872-1**<br>Angled<br>Size: 24cm | **ANE: 0873-1**<br>Angled<br>Size: 24cm |
| **ANE: 0871-2**<br>Straight<br>Size: 20cm | **ANE: 0872-2**<br>Straight<br>Size: 20cm | **ANE: 0873-2**<br>Straight<br>Size: 20cm |
| **ANE: 0871-3**<br>Angled<br>Size: 20cm | **ANE: 0872-3**<br>Angled<br>Size: 20cm | **ANE: 0873-3**<br>Angled<br>Size: 20cm |
| **ANE: 0871-4**<br>Straight<br>Size: 18cm | **ANE: 0872-4**<br>Straight<br>Size: 18cm | **ANE: 0873-4**<br>Straight<br>Size: 18cm |
| **ANE: 0871-5**<br>Angled<br>Size: 18cm | **ANE: 0872-5**<br>Angled<br>Size: 18cm | **ANE: 0873-5**<br>Angled<br>Size: 18cm |
| **ANE: 0871-6**<br>Straight<br>Size: 15.50cm | **ANE: 0872-6**<br>Straight<br>Size: 15.50cm | **ANE: 0873-6**<br>Straight<br>Size: 15.50cm |
| **ANE: 0871-7**<br>Angled<br>Size: 15.50cm | **ANE: 0872-7**<br>Angled<br>Size: 15.50cm | **ANE: 0873-7**<br>Angled<br>Size: 15.50cm |

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# ELECTROSURGERY CABLES

## Bipolar and Monopolar Cables


ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd.

# Electrosurgical Cables
## Bipolar and Monopolar Cables

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

| | Flat Plug Bipolar Cable Flat Shape | Flat Plug Bipolar Cable Round Shape | Two Pin Plug Bipolar Cable Angled Flat Shape | Two Pin Plug Bipolar Cable Safety Angled Round Shape | Two Pin Plug Bipolar Cable Round Shape | 4mm Socket Monopolar Cable Round Shape | 4.80mm Socket Monopolar Cable with Safety Connection |
|---|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |
| | | | | With Safety Connection | | | With Safety Connection |
| 4mm Banana Plug Fitting (Black)  | **ANE: 0874** 3 Meters | **ANE: 0875** 3 Meters | **ANE: 0876** 3 Meters | **ANE: 0877** 3 Meters | XXXXXX | XXXXXX | XXXXXX |
| | **ANE: 0874-1** 5 Meters | **ANE: 0875-1** 5 Meters | **ANE: 0876-1** 5 Meters | **ANE: 0877-1** 5 Meters | | | |
| 4mm Banana Plug Fitting (Blue)  | **ANE: 0878** 3 Meters | **ANE: 0879** 3 Meters | **ANE: 0880** 3 Meters | **ANE: 0881** 3 Meters | XXXXXX | XXXXXX | XXXXXX |
| | **ANE: 0878-1** 5 Meters | **ANE: 0879-1** 5 Meters | **ANE: 0880-1** 5 Meters | **ANE: 0881-1** 5 Meters | | | |
| BOWA,Limidey,EMC Vallylab,Ethicon  | XXXXXX | **ANE: 0882** 3 Meters | XXXXXX | XXXXXX | **ANE: 0883** 3 Meters | XXXXXX | XXXXXX |
| | | **ANE: 0882-1** 5 Meters | | | **ANE: 0883-1** 5 Meters | | |
| Aesculap,Berchtold, Wolf,Martin,Sutter BM780  | **ANE: 0884** 3 Meters | **ANE: 0885** 3 Meters | **ANE: 0886** 3 Meters | **ANE: 0887** 3 Meters | XXXXXX | XXXXXX | XXXXXX |
| | **ANE: 0884-1** 5 Meters | **ANE: 0885-1** 5 Meters | **ANE: 0886-1** 5 Meters | **ANE: 0887-1** 5 Meters | | | |
| ERBE 4mm,Siemens Sutter BM50  | **ANE: 0888** 3 Meters | **ANE: 0889** 3 Meters | **ANE: 0890** 3 Meters | **ANE: 0891** 3 Meters | XXXXXX | XXXXXX | XXXXXX |
| | **ANE: 0888-1** 5 Meters | **ANE: 0889-1** 5 Meters | **ANE: 0890-1** 5 Meters | **ANE: 0891-1** 5 Meters | | | |



4mm Pin
Aesculap,Berchtold
ERBE T-Series,Sutter



4mm Pin
Aesculap,Berchtold
ERBE T-Series,Sutter



8mm Pin
Bovie,Eschmann
BOWA,Vallylab,Bard
Medtrex,Conmed

| | | | | | |
|---|---|---|---|---|---|
| **ANE: 0892** 3 Meters | **ANE: 0893** 3 Meters | **ANE: 0894** 3 Meters | **ANE: 0895** 3 Meters | **ANE: 0896** 3 Meters | **ANE: 0897** 3 Meters |
| **ANE: 0892-1** 5 Meters | **ANE: 0893-1** 5 Meters | **ANE: 0894-1** 5 Meters | **ANE: 0895-1** 5 Meters | **ANE: 0896-1** 5 Meters | **ANE: 0897-1** 5 Meters |

| | | |
|---|---|---|
| XXXXXX | XXXXXX | XXXXXX |












# ELECTROSURGICAL GYNECOLOGY INSTRUMENTS

## Speculum, Retractors and Hooks

ACME
Commercial Ways (Pvt) Ltd.

www.acme-cw.com

# Electrosurgical Gynecology Speculums

Commercial Ways (Pvt) Ltd.

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight




Collin Speculum with Smoke Evacuation Tube
**ANE: 0898**
Size: Small
**ANE: 0898-1**
Size: Medium
**ANE: 0898-2**
Size: Large



Cusco Speculum with Smoke Evacuation Tube
**ANE: 0899**
Size: Small
**ANE: 0899-1**
Size: Medium
**ANE: 0899-2**
Size: Large



Pederson Vaginal Speculum with Smoke Evacuation Tube
**ANE: 0900**
Size: Small
**ANE: 0900-1**
Size: Medium
**ANE: 0900-2**
Size: Large



Grave Vaginal Speculum with Smoke Evacuation Tube
**ANE: 0901**
Size: Small
**ANE: 402A**
Size: Medium
**ANE: 402B**
Size: Large



WU-MAX Speculum with Smoke Evacuation Tube
**ANE: 0902**
Size: Small
**ANE: 0902-1**
Size: Medium
**ANE: 0902-2**
Size: Large

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Electrosurgical Gynecology Retractors

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



Rigby Retractor

**ANE: 0903**
Size: Small
**ANE: 0903-1**
Size: Medium
**ANE: 0903-2**
Size: Large



Gelpi Retractor
**ANE: 0905**
Size: Small
**ANE: 0905-1**
Size: Medium
**ANE: 0905-2**
Size: Large



Lateral Retractor
(WIDE OPEN)

**ANE: 0904**
Size: Small
**ANE: 0904-1**
Size: Medium
**ANE: 0904-2**
Size: Large



Lateral Vaginal
Retractor

**ANE: 0906**
Size: Small
**ANE: 0906-1**
Size: Medium
**ANE: 0906-2**
Size: Large





Kogan Endocervical
Speculum


**ANE: 0907 Small**
Size:3.0mm
**ANE: 0907-1 Medium**
Size:4.0mm
**ANE: 0907-2 Large**
Size:5.0mm



ACME
Commercial Ways (Pvt) Ltd.

# Electrosurgical Gynecology Forceps

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



**ANE: 0908**
Champion Forceps
Size: 22.00cm



**ANE: 0909**
Ring Forceps
Size: 22.00cm



**ANE: 0910**
Single Tooth
Tenaculum
Size: 24.00cm



**ANE: 0911**
Dressing Forceps
Size: 21.00cm

**ANE: 0911-1**
Dressing Forceps
Size: 25.00cm



**ANE: 0912**
Tissue Forceps
Size: 21.00cm


**ANE: 0912-1**
Tissue Forceps
Size: 25.00cm



# Electrosurgical Gynecology Hooks

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight


Commercial Ways (Pvt) Ltd.



**ANE: 0913**
Emmet Hook
Size: 18cm
**ANE: 0913-1**
Size: 25cm



**ANE: 0914**
Iris Hook
Size:18cm
**ANE: 0914-1**
Size: 25cm



**ANE: 0915**
Straight Hook
Size: 18cm
**ANE: 0915-1**
Size: 25cm



**ANE: 0916**
Two-Prong Hook
Size: 18cm
**ANE: 0916-1**
Size: 25cm



**ANE: 0917**
Three-Prong Hook
Size: 18cm
**ANE: 0917-1**
Size: 25cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# ELECTROSURGERY PENCILS & ELECTRODES

## Hand Control ESU Pencils

## Foot Control ESU Pencils

## Electrodes 2.4mm Standard Fitting

## Electrodes 1.6mm Standard Fitting

www.acme-cw.com

ACME
Commercial Ways (Pvt) Ltd.

# Electrosurgical Hand Control Pencils

## Product Description

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



Flexible Wire
Double Insulated

Special Engraving for
tight and non slip grip

Tactile CUT and
COAG Buttons

Safety Fitting
Special Edge Shape

Sharp Polished
Stainless Steel
Blade Electrode

GENERATOR SIDE






Fits all 2.4mm
Standard
Electrodes

ACME
Commercial Ways (Pvt) Ltd.

# Electrosurgical Hand Control Pencils
## Products Compatibility

• Well Balanced Handling • Precision Alignment • Nylon Coating • Light Weight



LESS COST - HIGH CLASS
QUALITY PATIENT SAFETY
RECOMMENDED DESIGN
100-125 TIMES AUTOCLAVE
PROPERTIES AT 137° C

- Produced in environmentally friendly polypropylene (PP), C2 and ABS Material.
- Wire flexibility generates easy and satisfactory operation results.
- Design to operate with all Standard Electrodes with diameter of 240 mm.
- Available in variety of colours like
  - White
  - Black (Reusable)
  - Blue (Reusable)
  - Dark Blue
  - Purple Panton (Reusable)
  - Green
  - RED
- Compatible with all famous Electrosurgical Generators.

| Connectors to Fit | | With 3 Meter Cable | With 5 Meter Cable | Category |
|---|---|---|---|---|
| Valleylab, BOWA Erbe ICC International Erbe VIO, Eschmann Conmed |  | ANE: 0918 | ANE: 0918-2 | Disposable |
| | | ANE: 0918-1 | ANE: 0918-3 | Reusable |
| 4mm ERBE T-Series |  | ANE: 0919 | ANE: 0919-2 | Disposable |
| | | ANE: 0919-1 | ANE: 0919-3 | Reusable |
| 5mm ERBE ACC Series (standard) ICC Series, ERBE V10*,Karl Storz |  | ANE: 0920 | ANE: 0920-2 | Disposable |
| | | ANE: 0920-1 | ANE: 0920-3 | Reusable |









# Electrosurgical Foot Control Pencils

## Products Description

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



Flexible Wire
Double Insulated

Standard 4 mm banana
plug fitting connection
(See Page 54 for Compatible Cable Connections)

CNC made Teflon Rod

Engraving
Serrations for tight
and non slip grip

Safety Fitting
Special Edge Shape

Sharp Polished
Stainless Steel
Blade Electrode




Fits all 2.4mm
Standard
Electrodes







GENERATOR SIDE

ACME
Commercial Ways (Pvt) Ltd.

# Electrosurgical Hand Control Pencils
## Products Compatibility

• Well Balanced Handling • Precision Alignment • Nylon Coating • Light Weight



LESS COST - HIGH CLASS
QUALITY PATIENT SAFETY
RECOMMENDED DESIGN
100-125 TIMES AUTOCLAVE
PROPERTIES AT 137° C

- Produced in environmentally friendly polypropylene (PP), C2 and ABS Material.
- Wire flexibility generates easy and satisfactory operation results.
- Design to operate with all Standard Electrodes with diameter of 240 mm.
- Available in variety of colours like
  - White
  - Black (Reusable)
  - Blue (Reusable)
  - Dark Blue
  - Purple Panton (Reusable)
  - Green
  - RED
- Compatible with all famous Electrosurgical Generators.

| Connectors to Fit | | With 3 Meter Cable | With 5 Meter Cable | Category |
|---|---|---|---|---|
| 4mm Banana Plug Aesculap,Berchtold, Erbe T. Series,Eschmann TD300, TD311, DS302, Sutter BM780 |  | ANE: 0921 | ANE: 0921-2 | Disposable |
| | | ANE: 0921-1 | ANE: 0921-3 | Reusable |
| 8mm Banana Plug Bard, Birtcher,Bovie, Bowa Conmed, Eschmann Medtrex,Valleylab |  | ANE: 0922 | ANE: 0922-2 | Disposable |
| | | ANE: 0922-1 | ANE: 0922-3 | Reusable |









# Electrodes 2.4mm Standard Fitting
# Small Electrodes 70mm Long

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.

**ANE: 0923**
Blade Electrode



**ANE: 0924**
Blade Electrode
CRV



**ANE: 0925**
Needle Electrodes
Sharp Tip



**ANE: 0926**
Needle Electrode
Bold Tip



**ANE: 0927**
Needle Electrode CRV
Sharp Tip



**ANE: 0928**
Needle Electrode CRV
Size: 18.00cm



**ANE: 0929**
Ball Electrode
Tip: 2 mm



**ANE: 0930**
Ball Electrode
Tip: 3 mm



**ANE: 0931**
Ball Electrode
Tip: 4 mm



**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



ACME
Commercial Ways (Pvt) Ltd.

# Electrodes 2.4mm Standard Fitting
# Small Electrodes 70mm Long

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**ANE: 0932**
Ball Electrode
Tip: 5 mm



**ANE: 0933**
Ball Electrode CRV
Tip: 2 mm



**ANE: 0934**
Ball Electrode CRV
Tip: 3 mm



**ANE: 0935**
Ball Electrode CRV
Tip: 4 mm



**ANE: 0936**
Ball Electrode CRV
Tip: 5 mm



**ANE: 0937**
Fine Needle
Electrode



**ANE: 0938**
Fine Needle
Electrode



**ANE: 0939**
Blade Electrodes



**ANE: 0940**
Blade Electrodes CRV



**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Electrodes 2.4mm Standard Fitting
# Small Electrodes 70mm Long

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.

**ANE: 0941**
Needle Electrodes
Sharp Tip



**ANE: 0942**
Needle Electrodes
Bold Tip



**ANE: 0943**
Needle Electrodes CRV.
Sharp Tip



**ANE: 0944**
Needle Electrodes CRV.
Bold Tip



**ANE: 0945**
Ball Electrode
Tip: 2 mm



**ANE: 0946**
Ball Electrode
Tip: 3 mm



**ANE: 0947**
Ball Electrode
Tip: 4 mm



**ANE: 0948**
Ball Electrode
Tip: 5 mm



**ANE: 0949**
Ball Electrode CRV
Tip: 2 mm



**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd.

## Electrodes 2.4mm Standard Fitting
## Small Electrodes 70mm Long

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**ANE: 0950**
Ball Electrode CRV.
Tip: 3mm



**ANE: 0951**
Ball Electrode CRV.
Tip: 4mm



**ANE: 0952**
Ball Electrode CRV.
Tip: 5mm



**ANE: 0953**
Loop Electrode
Tip: 4mm



**ANE: 0954**
Loop Electrode
Tip: 6mm



**ANE: 0955**
Loop Electrode
Tip: 8mm



**ANE: 0956**
Diamond
Electrode



**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



# Electrodes 2.4mm Standard Fitting
# Long Electrodes and Conization*

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.



**ANE: 0957**
Blade Electrode
Molded
Shaft: 13.00cm

**ANE: 0958**
Needle Electrode
Molded
Shaft:13.00cm

**ANE: 0959**
Needle Electrode
Insulated
Shaft: 13.00cm

**ANE: 0960**
Ball Electrode
Molded
Tip: 3 mm
Shaft: 13.00cm

**ANE: 0961**
Ball Electrode
Molded
Tip: 5 mm
Shaft: 15.00cm

**ANE: 0962**
Ball Electrode
Insulated
Tip: 3 mm
Shaft: 13.00cm

**ANE: 0963**
Conization
Electrode
Angle: 30°
Size: 13.00cm

**ANE: 0964**
Conization
Electrode
Angle: 40°
Size: 13.00cm

**ANE: 0965**
Conization
Electrode
Angle: 50°
Size: 13.00cm

**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.



Commercial Ways (Pvt) Ltd


# Electrodes 2.4mm Standard Fitting

## Insulated Loop Electrodes

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight



## OVAL SHAPE




| 10x5mm | 10x7mm | 10x10mm | 10x12mm | 10x15mm | 10x20mm |
|---|---|---|---|---|---|
| ANE: 0966 Size: 13cm | ANE: 0967 Size: 13cm | ANE: 0968 Size: 13cm | ANE: 0969 Size: 13cm | ANE: 0970 Size: 13cm | ANE: 0971 Size: 13cm |
| ANE: 0966-1 Size:15cm | ANE: 0967-1 Size: 15cm | ANE: 0968-1 Size: 15cm | ANE: 0969-1 Size: 15cm | ANE: 0970-1 Size: 15cm | ANE: 0971-1 Size: 15cm |



| 5x5mm | 5x7mm | 5x10mm | 5x12mm | 5x15mm | 5x20 |
|---|---|---|---|---|---|
| ANE: 0972 Size: 13cm | ANE: 0973 Size: 13cm | ANE: 0974 Size: 13cm | ANE: 0975 Size: 13cm | ANE: 0976 Size: 13cm | ANE: 0977 Size: 13cm |
| ANE: 0972-1 Size: 15cm | ANE: 0973-1 Size: 15cm | ANE: 0974-1 Size:15cm | ANE: 0975-1 Size: 15cm | ANE: 0976-1 Size: 15cm | ANE: 0977-1 Size: 15cm |



## SQUARE SHAPE



| 10x5mm | 10x7mm | 10x10mm | 10x12mm | 10x15mm | 10x20mm |
|---|---|---|---|---|---|
| ANE: 0978 Size: 13cm | ANE: 0979 Size: 13cm | ANE: 0980 Size: 13cm | ANE: 0981 Size: 13cm | ANE: 0982 Size: 13cm | ANE: 0983 Size: 13cm |
| ANE: 0978-1 Size: 15cm | ANE: 0979-1 Size: 15cm | ANE: 0980-1 Size: 15cm | ANE: 0981-1 Size: 15cm | ANE: 0982-1 Size: 15cm | ANE: 0983-1 Size: 15cm |



| 5x5mm | 5x7mm | 5x10mm | 5x12mm | 5x15mm | 5x20mm |
|---|---|---|---|---|---|
| ANE: 0984 Size: 13cm | ANE: 0985 Size: 13cm | ANE: 0986 Size: 13cm | ANE: 0987 Size: 13cm | ANE: 0988 Size: 13cm | ANE: 0989 Size: 13cm |
| ANE: 0984-1 Size: 15cm | ANE: 0985-4 Size: 15cm | ANE: 0986-1 Size: 15cm | ANE: 0987-1 Size: 15cm | ANE: 0988-1 Size: 15cm | ANE: 0989-1 Size: 15cm |



# Electrodes 2.4mm Standard Fitting


## Molded Loop Electrodes

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight


Commercial Ways (Pvt) Ltd.



## OVAL SHAPE



| 10x5mm | 10x7mm | 10x10mm | 10x12mm | 10x15mm | 10x20mm |
|---|---|---|---|---|---|
| ANE: 0990<br>Size: 13cm | ANE: 0991<br>Size: 13cm | ANE: 0992<br>Size: 13cm | ANE: 0993<br>Size: 13cm | ANE: 0994<br>Size: 13cm | ANE: 0995<br>Size: 13cm |
| ANE: 0990-1<br>Size: 15cm | ANE: 0991-1<br>Size: 15cm | ANE: 0992-1<br>Size: 15cm | ANE: 0993-1<br>Size: 15cm | ANE: 0994-1<br>Size: 15cm | ANE: 0995-1<br>Size: 15cm |




| 5x5mm | 5x7mm | 5x10mm | 5x12mm | 5x15mm | 5x20mm |
|---|---|---|---|---|---|
| ANE: 0996<br>Size: 13cm | ANE: 0997<br>Size: 13cm | ANE: 0998<br>Size: 13cm | ANE: 0999<br>Size: 13cm | ANE: 1000<br>Size: 13cm | ANE: 1001<br>Size: 13cm |
| ANE: 0996-1<br>Size: 15cm | ANE: 0997-1<br>Size: 15cm | ANE: 0998-1<br>Size: 15cm | ANE: 0999<br>Size: 15cm | ANE: 1000-1<br>Size: 15cm | ANE: 1001-1<br>Size: 15cm |

## SQUARE SHAPE



| 10x5mm | 10x7mm | 10x10mm | 10x12mm | 10x15mm | 10x20mm |
|---|---|---|---|---|---|
| ANE: 1002<br>Size: 13cm | ANE: 1003<br>Size: 13cm | ANE: 1004<br>Size: 13cm | ANE: 1005<br>Size: 13cm | ANE: 1006<br>Size: 13cm | ANE: 1007<br>Size: 13cm |
| ANE: 1002-1<br>Size: 15cm | ANE: 1003-1<br>Size: 15cm | ANE: 1004-1<br>Size: 15cm | ANE: 1005-1<br>Size: 15cm | ANE: 1006-1<br>Size: 15cm | ANE: 1007-1<br>Size: 15cm |



| 5x5mm | 5x7mm | 5x10mm | 5x12mm | 5x15mm | 5x20mm |
|---|---|---|---|---|---|
| ANE: 1008<br>Size: 13cm | ANE: 1009<br>Size: 13cm | ANE: 1010<br>Size: 13cm | ANE: 1011<br>Size: 13cm | ANE: 1012<br>Size: 13cm | ANE: 1013<br>Size: 13cm |
| ANE: 1008-1<br>Size: 15cm | ANE: 1009-1<br>Size: 15cm | ANE: 1010-1<br>Size: 15cm | ANE: 1011-1<br>Size: 15cm | ANE: 1012-1<br>Size: 15cm | ANE: 1013-1<br>Size: 15cm |

Commercial Ways (Pvt) Ltd.

# Electrodes 1.6mm Standard Fitting
# Insulated Dental Electrodes 70mm Long

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

**ANE: 1014**
Blade Electrode
CRV.



**ANE: 1015**
Length
Needle Electrode
Sharp



**ANE: 1016**
Needle Electrode
Bold



**ANE: 1017**
Needle Electrodes
CRV.



**ANE: 1018**
Ball Electrode
CRV.
Tip: 5mm



**ANE: 1019**
Diamond
Electrodes



**ANE: 1020**
Loop Electrode
Tip: 4mm



**Note :** In case you need different lengths of products/tips or require different colors for products shown above, please contact us.
We will provide you on custom order.



# SINGLE - USE
# BIPOLAR FORCEPS

Commercial Ways (Pvt) Ltd.

www.acme-cw.com

Commercial Ways (Pvt) Ltd

# SINGLE USE BIPOLAR FORCEPS
## (With Attached Cable)

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

### MCPHERSON BIPOLAR FORCEPS



**ANE: 1021**
**ANE: 1021S**
Length: 10.5cm
Tip Size: 0.5mm

**ANE: 1022**
**ANE: 1022S**
Length: 10.5cm
Tip Size: 0.7mm

**ANE: 1023**
**ANE: 1023S**
Length: 10.5cm
Tip Size: 1.0mm

**ANE: 1024**
**ANE: 1024S**
Length: 10.5cm
Tip Size: 0.5mm Angled

**ANE: 1025**
**ANE: 1025S**
Length: 10.5cm
Tip Size: 0.7mm Angled

**ANE: 1026**
**ANE: 1026S**
Length: 10.5cm
Tip Size: 1.0mm Angled

### JEWELER BIPOLAR FORCEPS



**ANE: 1027**
**ANE: 1027S**
Length: 11.5cm
Tip Size: 0.5mm

**ANE: 1028**
**ANE: 1028S**
Length: 11.5cm
Tip Size: 0.7mm

**ANE: 1029**
**ANE: 1029S**
Length: 11.5cm
Tip Size: 1.0mm

**ANE: 1030**
**ANE: 1030S**
Length: 11.5cm
Tip Size: 0.5mm Angled

**ANE: 1031**
**ANE: 1031S**
Length: 11.5cm
Tip Size: 0.7mm Angled

**ANE: 1032**
**ANE: 1032S**
Length: 11.5cm
Tip Size: 1.0mm Angled

### ADSON BIPOLAR FORCEPS



**ANE: 1033**
**ANE: 1033S**
Length: 12cm
Tip Size: 0.5mm

**ANE: 1034**
**ANE: 1034S**
Length: 12cm
Tip Size: 0.7mm

**ANE: 1035**
**ANE: 1035S**
Length: 12cm
Tip Size: 1.0mm

**ANE: 1036**
**ANE: 1036S**
Length: 12cm
Tip Size: 0.5mm Serrated

**ANE: 1037**
**ANE: 1037S**
Length: 12cm
Tip Size: 0.7mm Serrated

**ANE: 1038**
**ANE: 1038S**
Length: 12cm
Tip Size: 1.0mm Serrated



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



# SINGLE USE BIPOLAR FORCEPS
## ( With Attached Cable )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.

### ADSON BIPOLAR FORCEPS



**ANE: 1039**
**ANE: 1039S**
Length: 15cm
Tip Size: 0.5mm

**ANE: 1040**
**ANE: 1040S**
Length: 15cm
Tip Size: 0.7mm

**ANE: 1041**
**ANE: 1041S**
Length: 15cm
Tip Size: 1.0mm

**ANE: 1042**
**ANE: 1042S**
Length: 15cm
Tip Size: 0.5mm Serrated

**ANE: 1043**
**ANE: 1043S**
Length: 15cm
Tip Size: 0.7mm Serrated

**ANE: 1044**
**ANE: 1044S**
Length: 15cm
Tip Size: 1.0mm Serrated

### STRAIGHT BIPOLAR FORCEPS



**ANE: 1045**
**ANE: 1045S**
Length: 15cm
Tip Size: 1.0mm

**ANE: 1046**
**ANE: 1046S**
Length: 16cm
Tip Size: 1.0mm

**ANE: 1047**
**ANE: 1047S**
Length: 18cm
Tip Size: 1.0mm

**ANE: 1048**
**ANE: 1048S**
Length: 20cm
Tip Size: 1.0mm

**ANE: 1049**
**ANE: 1049S**
Length: 22cm
Tip Size: 1.0mm

**ANE: 1050**
**ANE: 1050S**
Length: 24cm
Tip Size: 1.0mm

**ANE: 1051**
**ANE: 1051S**
Length: 15cm
Tip Size: 1.0mm Angled

**ANE: 1052**
**ANE: 1052S**
Length: 16cm
Tip Size: 1.0mmAngled

**ANE: 1053**
**ANE: 1053S**
Length: 18cm
Tip Size: 1.0mmAngled

**ANE: 1054**
**ANE: 1054S**
Length: 20cm
Tip Size: 0.5mm Angled

**ANE: 1055**
**ANE: 1055S**
Length: 22cm
Tip Size: 1.0mm Angled

**ANE: 1056**
**ANE: 1056S**
Length: 24cm
Tip Size: 1.0mm Angled

**ANE: 1057**
**ANE: 1057S**
Length: 20cm
Tip Size: 1.0mm Serrated

**ANE: 1058**
**ANE: 1058S**
Length: 22cm
Tip Size: 1.0mm Serrated



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single use (pre-sterilized) variants of the corresponding non-sterile product.



Commercial Ways (Pvt) Ltd

# SINGLE USE BIPOLAR FORCEPS
## ( With Attached Cable )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

### SEMKIN BIPOLAR FORCEPS



**ANE: 1059**
**ANE: 1059S**
Length: 14.5cm
Tip Size: 0.5mm

**ANE: 1060**
**ANE: 1060S**
Length: 14.5cm
Tip Size: 0.7mm

**ANE: 1061**
**ANE: 1061S**
Length: 14.5cm
Tip Size: 1.0mm

### BAYONET BIPOLAR FORCEPS



**ANE: 1062**
**ANE: 1062S**
Length: 16cm
Tip Size: 1.0mm

**ANE: 1063**
**ANE: 1063S**
Length: 18cm
Tip Size: 1.0mm

**ANE: 1064**
**ANE: 1064S**
Length: 20cm
Tip Size: 1.0mm

**ANE: 1065**
**ANE: 1065S**
Length: 22cm
Tip Size: 1.0mm

**ANE: 1066**
**ANE: 1066S**
Length: 24cm
Tip Size: 1.0mm

**ANE: 1067**
**ANE: 1067S**
Length: 20cm
Tip Size: 1.0mm Serrated

**ANE: 1068**
**ANE: 1068S**
Length: 22cm
Tip Size: 1.0mm Serrated



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.

# SINGLE USE BIPOLAR FORCEPS
## ( With Attached Cable & Non Stick Tip )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.

### STRAIGHT BIPOLAR FORCEPS



**ANE: 1069**
**ANE: 1069S**
Length: 15cm
Tip Size: 1.0mm Non Stick

**ANE: 1070**
**ANE: 1070S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1071**
**ANE: 1071S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1072**
**ANE: 1072S**
Length: 20cm
Tip Size: 1.0mm Non Stick

**ANE: 1073**
**ANE: 1073S**
Length: 22cm
Tip Size: 1.0mm Non Stick

**ANE: 1074**
**ANE: 1074S**
Length: 24cm
Tip Size: 1.0mm Non Stick

### BAYONET BIPOLAR FORCEPS



**ANE: 1075**
**ANE: 1075S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1076**
**ANE: 1076S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1077**
**ANE: 1077S**
Length: 20cm
Tip Size: 1.0mm Non Stick

**ANE: 1078**
**ANE: 1078S**
Length: 22cm
Tip Size: 1.0mm Non Stick

**ANE: 1079**
**ANE: 1079S**
Length: 24cm
Tip Size: 1.0mm Non Stick



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.

Commercial Ways (Pvt) Ltd

# SINGLE USE BIPOLAR FORCEPS

## ( European Fitting )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

### MCPHERSON BIPOLAR FORCEPS



**ANE: 1080**
**ANE: 1080S**
Length: 10.5cm
Tip Size: 0.5mm

**ANE: 1081**
**ANE: 1081S**
Length: 10.5cm
Tip Size: 0.7mm

**ANE: 1082**
**ANE: 1082S**
Length: 10.5cm
Tip Size: 1.0mm

**ANE: 1083**
**ANE: 1083S**
Length: 10.5cm
Tip Size: 0.5mm Angled

**ANE: 1084**
**ANE: 1084S**
Length: 10.5cm
Tip Size: 0.7mm Angled

**ANE: 1085**
**ANE: 1085S**
Length: 10.5cm
Tip Size: 1.0mm Angled

### JEWELER BIPOLAR FORCEPS



**ANE: 1086**
**ANE: 1086S**
Length: 11.5cm
Tip Size: 0.5mm

**ANE: 1087**
**ANE: 1087S**
Length: 11.5cm
Tip Size: 0.7mm

**ANE: 1088**
**ANE: 1088S**
Length: 11.5cm
Tip Size: 1.0mm

**ANE: 1089**
**ANE: 1089S**
Length: 11.5cm
Tip Size: 0.5mm Angled

**ANE: 1090**
**ANE: 1090S**
Length: 11.5cm
Tip Size: 0.7mm Angled

**ANE: 1091**
**ANE: 1091S**
Length: 11.5cm
Tip Size: 1.0mm Angled

### BAYONET BIPOLAR FORCEPS WIDE PATTERN



**ANE: 1092**
**ANE: 1092S**
Length: 16cm
Tip Size: 1.0mm

**ANE: 1093**
**ANE: 1093S**
Length: 18cm
Tip Size: 1.0mm

**ANE: 1094**
**ANE: 1094S**
Length: 20cm
Tip Size: 1.0mm

**ANE: 1095**
**ANE: 1095S**
Length: 22cm
Tip Size: 1.0mm

### ADSON BIPOLAR FORCEPS



**ANE: 1096**
**ANE: 1096S**
Length: 12cm
Tip Size: 0.5mm

**ANE: 1097**
**ANE: 1097S**
Length: 12cm
Tip Size: 0.7mm

**ANE: 1098**
**ANE: 1098S**
Length: 12cm
Tip Size: 1.0mm

**ANE: 1099**
**ANE: 1099S**
Length: 12cm
Tip Size: 0.5mm Serrated

**ANE: 1100**
**ANE: 1100S**
Length: 12cm
Tip Size: 0.7mm Serrated

**ANE: 1101**
**ANE: 1101S**
Length: 12cm
Tip Size: 1.0mm Serrated



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



# SINGLE USE BIPOLAR FORCEPS

## ( European Fitting )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

Commercial Ways (Pvt) Ltd.

### ADSON BIPOLAR FORCEPS



**ANE: 1102**
**ANE: 1102S**
Length: 15cm
Tip Size: 0.5mm

**ANE: 1103**
**ANE: 1103S**
Length: 15cm
Tip Size: 0.7mm

**ANE: 1104**
**ANE: 1104S**
Length: 15cm
Tip Size: 1.0mm

**ANE: 1105**
**ANE: 1105S**
Length: 15cm
Tip Size: 0.5mm Serrated

**ANE: 1106**
**ANE: 1106S**
Length: 15cm
Tip Size: 0.7mm Serrated

**ANE: 1107**
**ANE: 1107S**
Length: 15cm
Tip Size: 1.0mm Serrated

### STRAIGHT BIPOLAR FORCEPS



**ANE: 1108**
**ANE: 1108S**
Length: 15cm
Tip Size: 0.5mm

**ANE: 1109**
**ANE: 1109S**
Length: 15cm
Tip Size: 0.7mm

**ANE: 1110**
**ANE: 1110S**
Length: 15cm
Tip Size: 1.0mm

**ANE: 1112**
**ANE: 1112S**
Length: 15cm
Tip Size: 0.5mm Serrated

**ANE: 1113**
**ANE: 1113S**
Length: 15cm
Tip Size: 0.7mm Serrated

**ANE: 1114**
**ANE: 1114S**
Length: 15cm
Tip Size: 1.0mm Serrated



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



Commercial Ways (Pvt) Ltd

# SINGLE USE BIPOLAR FORCEPS

## ( European Fitting )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

### BAYONET BIPOLAR FORCEPS



**ANE: 1115**
**ANE: 1115S**
Length: 16cm
Tip Size: 1.0 mm

**ANE: 1116**
**ANE: 1116S**
Length: 18cm
Tip Size: 1.0 mm

**ANE: 1117**
**ANE: 1117S**
Length: 20cm
Tip Size: 1.0mm

**ANE: 1118**
**ANE: 1118S**
Length: 22cm
Tip Size: 1.0 mm

**ANE: 1119**
**ANE: 1119S**
Length: 24cm
Tip Size: 1.0 mm



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



# SINGLE USE BIPOLAR FORCEPS

## ( European Fitting & Non Stick Tip )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

ACME
Commercial Ways (Pvt) Ltd.

### BAYONET BIPOLAR FORCEPS



**ANE: 1120**
**ANE: 1120S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1121**
**ANE: 1121S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1122**
**ANE: 1122S**
Length: 20cm
Tip Size: 1.0mm Non Stick

### STRAIGHT BIPOLAR FORCEPS



**ANE: 1123**
**ANE: 1123S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1124**
**ANE: 1124S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1125**
**ANE: 1125S**
Length: 20cm
Tip Size: 1.0mm Non Stick

### ADSON BIPOLAR FORCEPS



**ANE: 1126**
**ANE: 1126S**
Length: 12cm
Tip Size: 1.0mm Non Stick

### JEWELAR BIPOLAR FORCEPS



**ANE: 1127**
**ANE: 1127S**
Length: 11.5cm
Tip Size: 1.0mm Non Stick



















**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



Commercial Ways (Pvt) Ltd

# SINGLE USE BIPOLAR FORCEPS

## ( European Fitting & Non Stick Tip )

- Well Balanced Handling
- Precision Alignment
- Nylon Coating
- Light Weight

### MCPHERSON BIPOLAR FORCEPS



**ANE: 1128**
**ANE: 1128S**
Length: 10.5cm
Tip Size: 0.5mm Non Stick

### BAYONET BIPOLAR FORCEPS WIDE PATTERN



**ANE: 1129**
**ANE: 1129S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1130**
**ANE: 1130S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1131**
**ANE: 1131S**
Length: 20cm
Tip Size: 1.0mm Non Stick

### STRAIGHT BIPOLAR FORCEPS WIDE PATTERN



**ANE: 1132**
**ANE: 1132S**
Length: 16cm
Tip Size: 1.0mm Non Stick

**ANE: 1133**
**ANE: 1133S**
Length: 18cm
Tip Size: 1.0mm Non Stick

**ANE: 1134**
**ANE: 1134S**
Length: 20cm
Tip Size: 1.0mm Non Stick










**Note:** In case you need different lengths of products/tips or require different colors for products shown above, please contact us. We will provide you on custom order.

**Note:** Note: Items with **SUFFIX 'S'** indicate sterile, single-use **(pre-sterilized)** variants of the corresponding non-sterile product.



Short Index

## European Bipolar Forceps

I. Insulated Bipolar Forceps ----------
ii. Block Connector Fitting Bipolar Forceps ----------
iii. Irrigation Bipolar Forceps ----------
iv. NON STICK Bipolar Forceps ----------
v. Bipolar Electrodes----------

## American Bipolar Forceps

i. Insulated Bipolar Forceps ----------
ii. Irrigation Bipolar Forceps ----------
iii. NON STICK Bipolar Forceps ----------

## Monopolar Forceps

i. Monopolar Forceps ----------
ii. Monopolar Scissors ----------
iii. Monopolar Forceps ----------

## Electrosurgery Cables

A. Bipolar and Monopolar Cables ----------

## Electrosurgical Gynecology Instruments

A. Gynecology Speculum ----------
B. Gynecology Retractors ----------
C. Gynecology Forceps ----------
D. Gynecology Hooks ----------

## Electrosurgery Pencils and Electrodes

A. ESU Pencils Hand Control ----------
i. ESU Pencils Description and compatibility ----------

B. ESU Pencils Foot Control ----------
i. ESU Pencils Description and compatibility ----------

C. Electrodes 2.4mm Standard Fitting ----------
i. Small Electrodes 70mm Long ----------
ii. Long Electrodes and Conization* ----------
iii. Insulated Loop Electrodes ----------
iv. Molded Loop Electrodes----------

D. Electrodes 1.6mm Standard Fitting ----------
i. Insulated Dental Electrodes 70 mm Long ----------

## Single - USE Bipolar Forceps

A. Single Use Bipolar Forceps ----------
i. With Attached Cable & Non Stick Tip ----------
ii. European Fitting ----------

This Catalogue is
Designed & Printed by:
Print Sols
www.printsols.com +92 301 6306612

# acme
## Commercial Ways (Pvt) Ltd.

Nowl More, Roras Road, P.O. Box # 1092
Sialkot 51310 - Pakistan

**Tel:** +92 52 3558738, 3563693
**Fax:** +92 52 3254126, 3254127

**E-mail:** info@acme-cw.com
**Web:** www.acme-cw.com