SECTION – 05

Forceps

пинцеты





STANDARD




05-001-105
10.5 cm

05-002-115
11.5 cm

05-003-130
13.0 cm

05-004-145
14.5 cm

05-005-160
16.0 cm



05-006-180
18.0 cm

05-007-200
20.0 cm

05-008-250
25.0 cm

05-009-300
30.0 cm



1:2
STANDARD




05-010-105
10.5 cm

05-011-115
11.5 cm

05-012-130
13.0 cm

05-013-145
14.5 cm

05-014-160
16.0 cm



05-015-180
18.0 cm

05-016-200
20.0 cm

05-017-250
25.0 cm

05-018-300
30.0 cm



STANDARD
05-019-115 11.5 cm
05-020-130 13.0 cm
05-021-145 14.5 cm
05-022-160 16.0 cm
05-023-180 18.0 cm
05-024-200 20.0 cm
05-025-250 25.0 cm
05-026-300 30.0 cm



STANDARD
05-027-115 11.5 cm
05-028-130 13.0 cm
05-029-145 14.5 cm
05-030-160 16.0 cm
05-031-180 18.0 cm
05-032-200 20.0 cm
05-033-250 25.0 cm
05-034-300 30.0 cm



STANDARD
CROSS TEETH
05-035-130 13.0 cm
05-036-145 14.5 cm
05-037-180 18.0 cm
Cross Teeth



STANDARD FINE

05-038-130 13.0 cm
05-039-145 14.5 cm



STILLE
05-040-180 15.0 cm



MOD. MARTIN
05-041-130 13.0 cm
05-042-145 14.5 cm



Mod. USA
05-043-120 12.0 cm
05-044-130 13.0 cm
05-045-145 14.5 cm
05-046-155 15.5 cm
05-047-180 18.0 cm
05-048-210 21.0 cm
05-049-250 25.0 cm
05-050-310 31.0 cm



Mod. USA
05-051-120 12.0 cm
05-052-130 13.0 cm
05-053-145 14.5 cm
05-054-155 15.5 cm
05-055-180 18.0 cm
05-056-210 21.0 cm
05-057-250 25.0 cm
05-058-310 31.0 cm



POTTS-SMITH

05-059-180 18 cm
05-060-210 20 cm
05-061-250 25 cm

POTTS-SMITH

05-062-180 18 cm
05-063-210 21 cm
05-064-250 25 cm

BROPHY

05-065-200
20 cm

BROPHY

05-066-200
20 cm

WANGENSTEEN

05-067-250
25 cm

GERALD 1:2

05-068-180
18 cm

GERALD 1:2

05-069-145
14.5 cm



CUSHING

05-070-145
14.5 cm

CUSHING 1:2

05-071-145
14.5 cm

POTTS-SMITH 1:2

05-072-150 15 cm
05-073-180 18 cm
05-074-200 20 cm
05-075-250 25 cm

POTTS-SMITH 1:2

05-076-150 15 cm
05-077-180 18 cm
05-078-200 20 cm
05-079-250 25 cm

BROPHY 1:2

05-080-160
16 cm

BROPHY 1:2

05-081-160
16 cm



GERALD
05-082-180
18 cm

GERALD
05-083-180
18 cm

CUSHING
05-084-175
17.5 cm

CUSHING
05-085-175
17.5 cm



SEMKEN
05-086-125 12.5 cm
05-087-155 15.5 cm


SEMKEN
05-088-125 12.5 cm
05-089-155 15.5 cm

TAYLOR
05-090-175 17.5 cm

TAYLOR
05-091-175 17.5 cm

TAYLOR
05-092-175 17.5 cm

TAYLOR
05-093-175 17.5 cm




STONE
4:5
05-094-150
15 cm

LERCHE
5:6
05-095-150
15 cm

ADLERKREUTZ
2:3
05-096-150 15 cm
05-097-200 20 cm

ADLERKREUTZ
4:5
05-098-150 15 cm
05-099-200 20 cm

GILLIES
1:2
05-100-150
15 cm




SEMKEN
1:2
05-101-125 12.5 cm
05-102-150 15.0 cm

SEMKEN
1:2
05-103-125 12.5 cm
05-104-150 15.0 cm

TAYLOR
1:2
05-105-175 17.5 cm


TAYLOR
1:2
05-106-175 17.5 cm

TAYLOR
1:2
05-107-175 17.5 cm



Mod. USA

STILLE 1:2	STILLE 2:3	1:2	2:3	3:4	4:5
05-108-150 15 cm	05-109-150 15 cm	05-110-120 12.0 cm 05-111-130 13.0 cm 05-112-145 14.5 cm 05-113-155 15.5 cm 05-114-185 18.5 cm 05-115-210 21.0 cm 05-116-250 25.0 cm 05-117-300 30.0 cm	05-118-130 13.0 cm 05-119-145 14.5 cm 05-120-155 15.5 cm	05-121-130 13.0 cm 05-122-145 14.5 cm 05-123-155 15.5 cm	05-124-130 13.0 cm 05-125-145 14.5 cm 05-126-155 15.5 cm




STANDARD

2:3	3:4	4:5
05-127-115 11.5 cm 05-128-130 13.0 cm 05-129-145 14.5 cm 05-130-160 16.0 cm 05-131-180 18.0 cm 05-132-200 20.0 cm 05-133-250 25.0 cm 05-134-300 30.0 cm	05-135-130 13.0 cm 05-136-145 14.5 cm 05-137-160 16.0 cm	05-138-130 13.0 cm 05-139-145 14.5 cm 16.0 cm

STANDARD FINE

1:2	1:2	1:2
05-141-130 13.0 cm 05-142-145 14.5 cm 05-143-160 16.0 cm 05-144-200 20.0 cm	05-145-130 13.0 cm 05-146-145 14.5 cm	05-147-130 13.0 cm 05-148-145 14.5 cm



TREVES
05-149-125 12.5 cm
05-150-150 15.0 cm
05-151-180 18.0 cm
Dissecting Forceps teeth, on smooth jaws.

CHARNLEY
05-152-145 14.5 cm
05-153-180 18.0 cm
Dissecting Forceps one into two teeth, block on jaws.

RAMSAY
05-154-180 18.0 cm
Dissecting Forceps non-too serrated jaws.

RAMSAY
05-155-180 18.0 cm
Dissecting Forceps one into teeth on serrated jaws.
As above but into three teeth.

T.O.E
05-156-125 12.5 cm
05-157-150 15.0 cm
05-158-180 18.0 cm
Dissecting Forceps turn over end serrated jaws.

BLOCK END
05-159-125 12.5 cm
05-160-150 15.0 cm
05-161-180 18.0 cm
05-162-200 20.0 cm
Dissecting Forceps block end, serrated jaws.




MCINDOE
05-163-150 15.0 cm
Dissecting Forceps non-toothed, on serrated jaws.

JEAN
05-164-140 14.0 cm
05-165-180 18.0 cm
Dissecting Forceps one into two teeth, on serrated jaws.

WAUGH
05-166-150 15.0 cm
05-167-180 18.0 cm
Dissecting Forceps slightly heavier non-toothed, serrated jaws.

WAUGH
05-168-150 15.0 cm
05-169-180 18.0 cm
Dissecting Forceps as above but one two tooth on serrated jaws.
Known as Scott.

LEEDHAM
05-170-145 14.5 cm
05-171-180 18.0 cm
Green Dissecting Forceps two three teeth, smooth jaws.



DURANTE

05-172-145 14.5 cm
05-173-160 16.0 cm
05-174-200 20.0 cm

NELSON

05-175-150
15.0 cm

STILLE-BARRAYA


05-176-180 18.0 cm
05-177-200 20.0 cm
05-178-250 25.0 cm

FERRIS-SMITH

1:2	2:3
05-179-180	05-180-180
18.0 cm	18.0 cm

FERRIS-SMITH

1:2	2:3
05-181-180	
18.0 cm	



LANE 1:2

05-182-125 12.5 cm
05-183-150 15.0 cm
05-184-170 17.0 cm
05-185-180 18.0 cm
05-186-200 20.0 cm

LANE 2:3

05-187-125 12.5 cm
05-188-150 15.0 cm
05-189-170 17.0 cm
05-190-180 18.0 cm
05-191-200 20.0 cm


BONNEY 1:2

05-192-180
18.0 cm

BONNEY 2:3

05-193-180
18.0 cm

Forceps – пинцеты



DUEHRSSEN
05-194-200
20.0 cm


DUEHRSSEN 1:2
05-195-200
20.0 cm

DUEHRSSEN 2:3
05-196-200
20.0 cm

DUEHRSSEN 3:4
05-197-200
20.0 cm

DUEHRSSEN
05-198-200
20.0 cm

MAYO-RUSSIAN
05-199-155
15.5 cm
05-200-230
23.0 cm



DAVIS
05-201-250
25 cm

RUSSIAN-MODELL
05-202-150 15 cm
05-203-200 20 cm
05-204-250 25 cm

SINGLEY-TUTTLE
INTESTINAL
05-206-230
23 cm

COLLIN-DUVAL

05-209-200
20 cm



LUCAE

**JANSEN-
GRUENWALD**

**MILLER
05-215-150
15 cm**

**MILLER
05-216-150
15 cm**



SAMI

YASARGIL

**HEIFETS
22.0 cm**

**HUNT
05-225-200
20 cm**



1/1

05-226-145
14.5 cm

MODELL USA



1/1

05-227-145
14.5 cm

MODELL USA



1/1

MCINDOE **GILLIES**
05-228-115 **05-229-150**
15 cm **15 cm**

MODELL USA



1/1

05-230-120
12 cm
Dressing,
Micro serrated



05-231-120
12 cm
Tissue,
Micro- 1:2 Teeth



05-232-120
12 cm
Tissue, 1:2 Teeth


ADSON



1/1

DE BAKEY
05-233-160
16 cm
Tissue
width 1.5 mm

1.5 mm **2.0 mm**



1/1 1/1

05-234-160 **05-235-160**
16 cm **16 cm**

2.0 mm



1/1

05-236-160
16 cm

DE BAKEY





05-237-120
12 cm
dressing,
serrated



05-238-120
12 cm
dressing,
Micro serrated



05-239-120
12 cm
dressing, serrated
tungsten carbide



05-240-120
12 cm
Tissue,
1:2 Teeth



05-241-120
12 cm
Tissue, Micro 1:2 Teeth
05-242-120
12 cm
Tissue, 2:3 Teeth

ADSON /
MICRO-ADSON





05-243-120
12 cm
Tissue,
7:7 Teeth




05-244-120
12 cm
Tissue,
9:9 Teeth

ADSON-BROWN




ADSON-BROWN
05-245-120 12 cm





05-246-150
15 cm
Straight,
9:9 Teeth

BROWN



05-247-160 16 cm 1.5 mm
05-248-200 20 cm 1.5 mm
05-249-240 24 cm 1.5 mm

05-250-160 16.0 cm 2.0 mm
05-251-200 20.0 cm 2.0 mm
05-252-240 24.0 cm 2.0 mm
05-253-305 30.5 cm 2.0 mm

05-263-160
16.0 cm

05-264-200
20.0 cm

05-254-160 16.0 cm 2.7 mm
05-255-200 20.0 cm 2.7 mm
05-256-200 20.0 cm 2.7 mm Heavy
05-257-240 24.0 cm 2.7 mm
05-258-305 30.5 cm 2.7 mm

05-259-160 16.0 cm 3.5 mm
05-260-200 20.0 cm 3.5 mm
05-261-240 24.0 cm 3.5 mm
05-262-305 30.5 cm 3.5 mm

05-265-240
24 cm

05-266-300
30 cm

DEBAKEY

DEBAKEY



DEBAKEY
05-267-150 15 cm
05-268-200 20 cm
05-269-240 24 cm
05-270-300 30 cm

DEBAKEY
05-271-150 15 cm
05-272-200 20 cm
05-273-240 24 cm
05-274-300 30 cm

COOLEY
05-275-150 15 cm
05-276-200 20 cm
05-277-240 24 cm
05-278-300 30 cm

DEBAKEY

05-279-180 18 cm
05-280-210 21 cm

05-281-180 18 cm
05-282-210 21 cm



MICRO FORCEPS
05-283-140
14.0 cm



MICRO FORCEPS
05-284-140 1:2
14.0 cm




MICRO FORCEPS
05-285-140 1:2
14.0 cm



MICRO FORCEPS
05-286-140 14.0 cm
05-287-180 18.0 cm



MICRO FORCEPS




0,3 mm
05-288-120
12.0 cm
Str.

0,3 mm
05-289-150
15.0 cm
Cvd.



MICRO FORCEPS
18.0 cm




05-290-180
Str.

05-291-180
Cvd.



STEVENS 1:2




05-292-110
11.0 cm




05-293-110
11.0 cm

STEVENS 1:2




	GRAEFE	GRAEFE	GRAEFE 1:2	GRAEFE 1:2
	7.0 cm	7.0 cm	7.0 cm	7.0 cm
0.5 mm	05-294-070	05-297-070	05-300-070	05-303-070
0.7 mm	05-295-070	05-298-070	05-301-070	05-304-070
1.0 mm	05-296-070	05-299-070	05-302-070	05-305-070



05-306-105 05-307-105 05-308-105

05-309-105 05-310-105 05-311-105

STEVENS
10.5 cm



7.0 cm	05-312-070	05-314-070	05-316-070
10.0 cm	05-313-100	05-315-100	05-317-100

7.0 cm	05-318-070	05-320-070	05-322-070
10.0 cm	05-319-100	05-321-100	05-323-100

GRAEFE

Jewellers forceps – ювелирные пинцеты



05-324-001 **05-325-002** **05-326-003** **05-327-004** **05-328-005** **05-329-006** **05-330-007** **05-331-008**



JEWELER'S
05-332-115 11.5 cm

05-333-105
10.5 cm

05-334-105
10.5 cm

05-335-110
11 cm

05-336-110
11 cm



05-337-110
11 cm

05-338-120
12 cm

05-339-120
12 cm

05-340-120
12 cm

Cilia forceps –
косметологические пинцеты



KUEHNE
05-341-105
10.5 cm



KUEHNE
05-342-105
10.5 cm



LITTAUER
05-343-085
8.5 cm



LITTAUER
05-344-090
9 cm



BARRAQUER
05-345-105
10.5 cm




ZIEGLER
05-346-090
9 cm



DOUGLAS
05-347-090
9 cm



BEER
05-348-090
9 cm



FEILCHENFELD

1/1

05-349-075
7.5 cm
05-350-090
9 cm
05-351-110
11 cm

HUNTER

1/1

05-352-105
10.5 cm

HUNTER

1/1

05-353-105
10.5 cm

CARMALT


1/1

05-354-105
10.5 cm

CARMALT

1/1

05-355-105
10.5 cm



1/1

05-356-080
8 cm
05-357-090
9 cm
05-358-105
10.5 cm
05-359-115
11.5 cm
05-360-125
12.5 cm
05-361-145
14.5 cm

1/1

05-362-080
8 cm
05-363-090
9 cm
05-364-105
10.5 cm
05-365-115
11.5 cm
05-366-125
12.5 cm
05-367-145
14.5 cm

1/1

05-368-080
8 cm
05-369-090
9 cm
05-370-105
10.5 cm
05-371-115
11.5 cm
05-372-125
12.5 cm
05-373-145
14.5 cm

1/1

05-374-080
8 cm
05-375-090
9 cm
05-376-105
10.5 cm
05-377-115
11.5 cm
05-378-125
12.5 cm
05-379-145
14.5 cm



05-380-080 08.0 cm
05-381-090 09.0 cm
05-382-105 10.5 cm
05-383-115 11.5 cm
05-384-125 12.5 cm
05-385-145 14.5 cm

05-386-080 08.0 cm
05-387-090 09.0 cm
05-388-105 10.5 cm
05-389-115 11.5 cm
05-390-125 12.5 cm
05-391-145 14.5 cm

05-392-080 08.0 cm
05-393-090 09.0 cm
05-394-105 10.5 cm
05-395-115 11.5 cm
05-396-125 12.5 cm
05-397-145 14.5 cm

05-398-080 08.0 cm
05-399-090 09.0 cm
05-400-105 10.5 cm
05-401-115 11.5 cm
05-402-125 12.5 cm
05-403-145 14.5 cm



STIEGLITZ FORCEPS
05-404-125
12.5 cm


STIEGLITZ
05-405-135 13.5 cm Str.
05-406-135 13.5 cm Cvd.

STIEGLITZ
05-407-135 13.5 cm Str.
05-408-135 13.5 cm Cvd.

PEET
05-409-115
11.5 cm

PALK
05-410-150 15 cm Str.
05-411-150 15 cm Cvd.

T.C Forceps –
пинцеты армированные твердым сплавом



05-412-130
13 cm

05-413-140
14 cm


05-414-160
16 cm

05-415-180
18 cm

05-416-200
20 cm

05-417-250
25 cm

STANDARD



1/1

05-418-140
14 cm

05-419-160
16 cm

05-420-180
18 cm

1/1

05-421-200
20 cm

05-422-250
25 cm

05-423-300
30 cm

STANDARD




1/1

STANDARD
05-424-140 14 cm
05-425-160 16 cm



ADSON



05-426-120
12 cm
cross serration

05-427-120
12 cm
cross serration-
1:2 Teeth


05-428-150
15 cm
cross serration-
1:2 Teeth

1/1

05-429-120
12 cm
Dressing,
cross serration

05-430-120
12 cm
Tissue, cross
serration-1:2 Teeth

T.C. Forceps –
пинцеты армированные твердым сплавом



BONNEY DISSECTING

05-431-180
18 cm
Straight Tungsten Carbide, X-errations 1 2 Teeth

05-432-180
18 cm
Straight Serrated-1:2 Teeth

05-433-180
18 cm
Straight Serrated-2:3 Teeth


WANGENSTEEN

05-434-152
15.2 cm

05-435-229
22.9 cm

05-436-254
25.4 cm

WANGENSTEEN
05-437-150 15 cm
05-438-230 23 cm
05-439-250 25 cm



WAUGH
05-440-150 15.0 cm
05-441-178 17.8 cm
05-442-203 20.3 cm
05-443-229 22.9 cm
05-444-241 24.1 cm
05-445-267 26.7 cm

POTTS-SMITH
05-446-160 16 cm
05-447-180 18 cm
05-448-200 20 cm
05-449-250 25 cm
05-450-260 26 cm

CUSHING
05-451-180
18 cm

CUSHING

05-452-180
18 cm
Dressing, w/Pin Serrated

05-453-180
18 cm
Tungsten carbide Cross Serrated

05-454-180
18 cm
Tissue w/Pin Serrated

CUSHING
05-455-180
18 cm